

stair nosings

PVC profiles **skirtings** & trims



made in
the **UK**

wiseup@
www.floorwise.co.uk

premium quality

Like all products bearing the **Floorwise** brand name, our stair nosings, PVC profiles, skirtings & trims are manufactured to the **highest quality standards**, made to deliver long lasting **performance**.

- page **3** **Aluminium** stair nosings – standard & heavy duty
- page **4-5** **Q-Range** aluminium & **PVCu** stair nosings
- page **6** **Stair** nosing **colour** chart
- page **7** **Stair** edge **trims** & **angles**
- page **8** **PVC** skirtings
- page **9** **PVC** cove **formers** & **capping** strips
- page **10** **Floormitre** cap & **cove** system
- page **11** **Flexible** bevel **strips**, expansion **joints**, ramp & floor **trims**
- page **12** **Curvable** PVC **floor** trims
- page **13** **PVC** colour **chart**
- page **14** **Entrance** matting
- page **15** **Floorwise** distribution **network**

wise up to **floorwise**
quality & value guaranteed

specialist
measuring
service

free stair nosing &
entrance matting **measures**



saves **time**



saves **waste**



saves **money**

Book a FREE Stair Nosing or Entrance Matting measure today with Floorwise.
Call today on **01509 673974** to book an appointment.

Aluminium stair nosings + trims


Standard gauge

Standard gauge aluminium stair nosings best suited for floorcoverings with a thickness of 2mm–3.5mm.


- **Stock lengths:** 2.44m, 2.75m and 3.2m
- **Pre-packed** (secret fixing): 20 lengths x 1.22m
- Also available **cut to size, drilled & undrilled**

○ Brightened Finish


○ Super Chrome Finish




SF11
single channel **flat**




SF31
single channel **bullnose**




SF51
single channel **raked**




SF22
double channel **flat**




SF62
double channel **raked**



SF141
single channel
flat - ramp back



SF151
single channel
raked - ramp back



SF161
single channel
bullnose - ramp back


Heavy duty gauge

Heavy duty gauge aluminium stair nosings best suited for floorcoverings with a thickness of 4mm–7mm.


- **Stock lengths:** 2.44m, 2.75m and 3.2m
- **Pre-packed** (secret fixing): 20 lengths x 1.22m
- Also available **cut to size, drilled & undrilled**

○ Brightened Finish


○ Super Chrome Finish



HF11
single channel **flat**



HF31
single channel **bullnose**



HF51
single channel **raked**

standard tread colours



super grip colours **NEW**



Drawings not to scale.

Q-Range aluminium & PVCu stair nosings

Q-Range: the complete stair nosing solution

Heavy Duty gauge stair nosings best suited for floorcoverings with a thickness of 4 mm–7 mm.


All Q-Range stair nosings (except bullnose) offer a Building Regulations best practice solution in PVCu or when specified with polar grey tread material.

NOTE: There should be 30 points of difference in the LRV value between the floor covering and the stair nosing.



- **Stock lengths:** 2.44m, 2.75m and 3.2m
- Also available **cut to size, drilled & undrilled**

● Satin anodised Aluminium



Q-Range tread colours



Q-Range PVCu channel colours



Drawings not to scale.

specialist
measuring
service


free stair nosing & entrance matting measures

Book a FREE Stair Nosing or Entrance Matting measure today with Floorwise.
Call today on **01509 673974** to book an appointment.

Q-Range aluminium & PVCu stair nosings

Q-Range: the complete stair nosing solution

Slenderline gauge stair nosings best suited for floorcoverings with a thickness of 0 mm–3.5 mm.



Stair nosing colour chart

Stair nosing colour chart

Colour	LRV (Light Reflectance Value)	standard tread	NEW super grip	PVCu channel
CAR Carbon	5		✓	
CLA Claret	6	✓		✓
BLK Black	6	✓		✓
RUB Ruby	9		✓	
RUS Rustic	10	✓		✓
PEA Peat	10	✓		✓
BLU Dark Blue	11	✓		✓
REG Regency	11	✓		✓
SPR Spruce	11	✓		✓
GRA Granite	11	✓		✓
POP Poppy	13	✓		
FLI Flint	15	✓		✓
ROY Royal Blue	16	✓		
FAW Fawn	21	✓		
AQA Aqua	22		✓	
LIG Light Grey	26	✓		✓
PLA Platinum	27		✓	
JAD Jade	30	✓		
TAN Tangerine new	33	✓		
SAN Sand	41		✓	
HOR Hornet	47		✓	
PLR Polar Grey	49	✓		✓
IVO Ivory	51	✓		✓
SKY Sky	52	✓		
LIM Lime	53	✓		
SUN Sun	56	✓		
YEL Yellow	67	✓		✓
PHO Photoluminescent	69	✓		
WHT White	81	✓		✓

Colours shown here are a guide as they are only as accurate as the printing process allows. For an exact match to your requirements, always request a sample.

Some stair nosing/colour combinations are not stock supported and may be subject to minimum order quantities.

Although production lead times are generally only a few days, it is advisable to check and book production in advance with your local Floorwise distributor.

Super grip

A slip resistant and hard wearing stair nosing tread material

- Available on all Floorwise Stair Nosings (not available on Q-Range).
- Extremely low slip potential in dry and wet conditions. Fully laboratory tested.
- Suitable for industrial, public and commercial environments.



CAR RUB AQU PLA SAN HOR

Stair edge trims & angles



Aluminium & PVCu stair edge trims & angles

Pre-formed universal angles for finishing step sides on open string staircases.

- **Universal tabs** are included with package to cover all heights.
- **Pre-formed:** 83° or 90°, 360mm x 360mm, singles or boxed in 20s.
- **Stock lengths:** 2.75m complete with joints and tabs to make up on site.

○ Brightened Finish

○ Super Chrome Finish



A610

Aluminium 83° pre-formed Angles

P610

PVCu 83° pre-formed Angles

A620

Aluminium 90° pre-formed Angles

P620

PVCu 90° pre-formed Angles


A600

Aluminium stock length 2.75m

P600

PVCu stock length 2.75m

PVCu colours



Stair nosing fabrications

Special shapes available - bespoke Stair Nosings factory fabricated to individual templates that have been measured and taken on-site. Contact your local Floorwise distributor for more details.

Mitred stair nosings

Most Stair Nosings can be mitred to suit any angle. They can either be dry mitred, meaning just cut to fit or the Stair Nosing can be mitred and then welded together for extra safety.



Curved stair nosings

Curved Stair Nosings are fabricated from templates taken from steps on-site. Then factory made to template and delivered labelled and ready to trim and fit on-site.



Sampling, installation & cleaning

To ensure an exact match for your requirements, please ask your local Floorwise distributor for a sample box.




For information about installation and cleaning, please ask your local Floorwise distributor for our special leaflet.




Sit-on skirting

Easy to fit standard skirting finish for vinyl floors.




Set-in skirting

Skirtings with welded foot for seamless and hygienic finish with vinyl floors in hospitals, schools and wet areas (e.g. bathrooms).



Flat skirting

Protective edge to wall and door bases. Use with vinyl floors or carpet tiles.



PVC skirting colours



Drawings not to scale.

PVC cove formers & capping strips


Capping strips

Finishing caps for floor coverings when material is formed up the wall base.




8740
40 x 4 mm

2m lengths
40 per box




8741
45 x 4 mm

2m lengths
40 per box




8742
40 x 6 mm

2m lengths
50 per box



8744
38 x 4 mm

25m coils only
3 per box




Cove formers

Preformed cove support for vinyl or linoleum flooring to curve up the wall base from the floor edge.




8731
20 x 20 mm

2m lengths
50 per box
(Black only)



8730
32 x 32 mm

2m lengths
40 per box
(Black only)



8732
35 x 35 mm


2m lengths
40 per box
(Black only)



8733
42 x 42 mm

2m lengths
20 per box
(Black only)

NEW




Combined cove former & capping strip

This combined, preformed cove former and capping strip is a valuable time saver on site:



- Offers better value than a separate cove former and capping strip.
- Neater finish.
- Easy to handle & easy to fit.
- Flexible cap to accommodate the floor covering.

8743
100 x 32 mm
2m lengths / 20 per box



Combined cove former & capping strip colours



Drawings not to scale.

Floormitre cap & cove system


Internal & external floormitres

Designed to make the fitting of vinyl around corners easier, quicker and smoother.

This unique* flexible cove moulding creates a perfect uniform finish every time.


The preformed seamless Floormitre can be used with capping or diminishing strip at either 100 or 150 mm construction industry standard heights.

- Eliminates creases and kinks
- Promotes uniformity
- Reduces fitting times



CCFM1
Internal Floormitre

50 per box



CCFM2
External Floormitre


50 per box




NEW

NEW


* UK Patent number GB2504485



Install the preformed seamless Internal and External Floormitres.




Install Cove Former to the Floormitres.



Install Capping or Diminishing Strip overlapping the Floormitres at the external and internal points.



Prepared Floormitres are ready for the installation of vinyl.



Complete vinyl with smooth radius and support for the external and internal corners.



NOTE: Vinyl can be wrapped as above or installed by the conventional method.


Drawings not to scale.

Flexible bevels, ramps, profiles & joints


Bevel strips & ramp edges

Flexible finishing strips and ramps for floorcovering edges. Can be easily curved on site.

8751
25 x 2.0mm




8752
25 x 2.5mm




8753
25 x 3.2mm

25m coils
5 per box




8754
33 x 4.5mm

2m lengths
50 per box



8755
38 x 6.0mm

2m lengths
50 per box




Flexible flooring profiles

Finishing profiles for joints between floor coverings. Can be easily curved on site.


8770 Dual Edge
35 x 5 mm/9mm

2m lengths
25 per box



8772 Ramp Edge
40 x 5mm

2m lengths
25 per box




Expansion joints

A solution to join vinyl floors. They are welded to the adjoining floorcovering using weld rod.

QCJ50
50 x 2.5mm

15m coils
3 per box



QCJ75
75 x 2.5mm

15m coils
2 per box



Flexible bevel strips, ramp edges, floor profiles & expansion joints colours

BLK CLG

DBR CHAR WHT

Minimum order quantities may apply

Drawings not to scale.

Curvable PVC floor trims

Curvable PVC floor trim system


This curvable PVC floor trim system is suitable for installation in both contract and domestic locations. The range includes a number of bases and top trim profiles to create a neat, safe and durable transition between adjacent floorcoverings. The different sizes of bases and tops allows for almost all floorcovering thicknesses to be accommodated. The tops are available in a range of seven colours to compliment any design scheme.



- All **tops fit all bases**
- **Low maintenance**
- **Range** of seven **colours**
- PVCu bases are **curvable** on site
- **Easily installed:**
 - Screw the pre-drilled bases to the floor between the two floor coverings
 - Position the tops in place and tap into place using a rubber mallet.

8775 Top

2.75 m lengths
10 per box




87P1 Base

2.75 m lengths
10 per box




8780 Top

2.75 m lengths
10 per box



87P2 Base



2.75 m lengths
10 per box



Note: Other bases and tops may be available.

Product Combinations

Combinations of tops and bases and the heights of floorcoverings they connect.



Curvable PVC floor trims colours

BLK DBR REG DGR LIG

RUS SPR Minimum order quantities may apply

Drawings not to scale.

PVC colour chart

PVC colour chart

Colour	LRV (Light Reflectance Value)	Skirtings	Capping Strips	Bevels/ Ramps/Trims	Trims - tops
BLK Black	6	✓	✓	✓	✓
DBR Dark Brown	9	✓	✓	✓	✓
RUS Rustic	10				✓
GRA Graphite	11	✓			
REG Regency	11	✓			✓
SPR Spruce	11				✓
CHA Charcoal	15	✓	✓	✓	
DGR Dark Grey	15				✓
BOU Boulder	25	✓			
LIG Light Grey	26				✓
CLG Cloud Grey	29	✓	✓	✓	
CAR Caramel	31	✓	✓		
PLA Platinum Grey	45	✓			
IVO Ivory	51	✓			
WHT White	81	✓	✓	✓	

Colours shown here are a guide as they are only as accurate as the printing process allows. For an exact match to your requirements, always request a sample.

Although production lead times are generally only a few days, it is advisable to check and book production in advance with your local Floorwise distributor.

Sampling, installation & cleaning

To ensure an exact match for your requirements, please ask your local Floorwise distributor for a sample box.



For information about installation and cleaning, please ask your local Floorwise distributor for our special leaflet.



specialist
measuring
service

free stair nosing & entrance matting **measures**

Save time and money with the free Stair Nosing & Entrance Matting specialist measuring service.

- **24-48 hour response** for measures.
- Entrance Matting and Stair Nosing **ready to fit**.



saves **time**



saves **waste**



saves **money**


Book a **FREE** Stair Nosing or Entrance Matting measure today with Floorwise. Call today on **01509 673974** to book an appointment.

Entrance matting

NEW

Our matting is a single sided entrance system perfect for entrance areas subject to high levels of foot traffic such as schools, hospitals and offices. All matting is highly durable and great at preventing moisture from entering a building.

- **Prevents dirt and moisture** entering a building
- **Reduces** the potential for **slips**
- **Reduces cleaning** and maintenance costs
- Suitable for **very heavy traffic**
- **5 year guarantee**
- **Free** on-site **measuring** service



Grid Matting – available in 12 mm & 17 mm heights



Closed Matting

	12 mm Grid with textile insert
	17 mm Grid with textile insert
	12 mm Grid with rubber insert
	17 mm Grid with rubber insert

Connect Matting – available in 10 mm & 17 mm heights



Open Or Closed Matting

	10 mm Connect with textile insert
	17 mm Connect with textile insert
	10 mm Connect with ribbed rubber
	17 mm Connect with ribbed rubber

Textile Colours / Rubber Black Only



Frames – recessed and ramped aluminium frames available to suit all situations.

specialist
measuring
service

free stair nosing & entrance matting measures

Book a FREE Stair Nosing or Entrance Matting measure today with Floorwise. Call today on **01509 673974** to book an appointment.

wise up to floorwise

quality & value guaranteed



national distributor network

1 Neil Smith Ltd

Glasgow
Tel: 0141 552 1141
sales@neilsmithltd.co.uk

2 Provincial Floorcoverings Ltd

Belfast
Tel: 028 9075 3202
Fax: 028 9075 3901
salesbelfast@pfl.ie

3 Floorwise (North East) Ltd

Birtley, County Durham
Tel: 0191 410 7070
Fax: 0191 410 6116
sales@floorwisene.co.uk

4 MCA Floorwise Ltd

Morecambe, Lancashire
Tel: 01524 33517
Fax: 01524 381852
sales@mcafloorwise.co.uk

5 Birch Distribution

Hull, HU7 0XD
Tel: 01482 826654
Fax: 01482 878693
d.ostler@birchdistribution.co.uk

6 Birch Distribution

Leeds, LS10 1AG
Tel: 0113 244 4363
Fax: 0113 244 8665
l.sigsworth@birchdistribution.co.uk

7 Provincial Floorcoverings Ltd

Dublin 12
Tel: 00353 (0)1 626 3913
Fax: 00353 (0)1 626 3960
salesdublin@pfl.ie

8 Provincial Floorcoverings Ltd

Limerick
Tel: 00353 (0)61 227 100
Fax: 00353 (0)61 227 000
sales@pfl.ie

9 Choice Flooring Ltd

Trafford Park, Manchester
Tel: 0161 872 8003
choice_flooring@yahoo.com

10 Cornerstone Flooring

Doncaster
Tel: 01302 835117
Fax: 01302 302542
cornerstonefloor@btconnect.com

11 Birch Distribution

Sheffield, S9 5PH
Tel: 0114 243 1230
Fax: 0114 243 5118
n.maude@birchdistribution.co.uk

12 Woodall Brothers Ltd

Shrewsbury, Shropshire
Tel: 01743 441584
Fax: 01743 441629
sales@woodallbrothers.co.uk

13 Floorwise D & J Ltd

Southam, Warwickshire
Tel: 01926 814922
Fax: 01926 817899
sales@fwdj.co.uk

14 Salesmark Ltd

St Neots, Cambridgeshire
Tel: 01480 212888
Fax: 01480 218585
sales@salesmark.co.uk

15 BL Flooring Supplies Ltd

Gloucester
Tel: 01452 223355
Fax: 01452 371284
info@blflooring.co.uk

16 BL Flooring Supplies Ltd

Bristol
Tel: 0117 955 5454
Fax: 0117 955 2626
info@blflooring.co.uk

17 Salesmark West Ltd

Amesbury, Wiltshire
Tel: 01980 880933
mail@salesmark-west.co.uk

18 Acorn Carpet Accessories

Bromley, Kent
Tel: 020 8462 0422
Fax: 020 8462 0927
acorncarpetsacc@btconnect.com

19 Salesmark

Lancing, West Sussex
Tel: 01903 750522
Fax: 01903 851111
sales@salesmark-floorwise.co.uk

20 Fitwell Flooring Ltd

Newton Abbot, Devon
Tel: 01626 835935
sales@fitwell.co.uk

21 Fitwell Flooring Ltd

Redruth, Cornwall
Tel: 01209 214344
sales@fitwell.co.uk



head office:

Floorwise Group Ltd.
Floorwise House, 22 High Street,
Kegworth, Derby, DE74 2DA, UK
Tel: +44 (0)1509 673974
Fax: +44 (0)1509 674841

underlay

nosings+
pvc skirting

gripper

profiles

tools

tapes

matting

adhesives
+ screeds

laminates

When it comes to flooring installation, **Floorwise** is the name for **quality** and **value!**

For over 35 years Floorwise has been the number one choice for flooring professionals.

Reliable service, through an exclusive network of distributors, and the consistent quality of our products has earned Floorwise an enviable reputation.

Floorwise strives to deliver excellence in innovation too, with a continuous development program aimed at meeting the evolving needs of both consumers and the fitters alike.

for **sales** and **enquiries** contact:

wise up to floorwise quality & value guaranteed



Floorwise offer a wide range of quality foam, rubber and felt underlays, delivering varying levels of performance & suitable for every type of carpet.



Crafted from premium quality materials, Floorwise Profiles are easy to handle and deliver longer lasting use.



Sourced from the world's best suppliers, the Floorwise Tools collection brings you the very best to make sure your high standards are upheld.



Ensuring a quality installation for each and every carpet, Floorwise Gripper is made to the highest standards.



Understanding that reliability is the key, Floorwise Adhesives and have been formulated to bring consistency time after time.