



contents

Carpet Underlays

Feel the Difference	6
PU Foam	7
Crumb Rubber	13
Sponge Rubber	13
Combination & Felt	14
Recommendation Guide	15







Various types of underlay for use with carpet

Floorwise brings together a wide range of different types of underlay that add comfort and provide cushioned support to increase the life of the carpet.

PU Foam Underlays

Although light in weight these foam underlays pack a punch when it come to comfort and performance. Made from recycled post industrial waste foam they are completely recyclable again after their long use. The recycled foam is compressed and rebonded into a range of thicknesses and densities with increasingly better comfort and performance

Foam underlays are under half the weight of traditional rubber underlays, helping to reduce the risk of injury. Most foam underlays can be moved without the reliance of lifting equipment or the need for two people to carry one roll in compliance with latest health and safety regulations.

> Using recycled materials is not just good for the environment but helps to keep manufacturing costs to a minimum. The increasing cost of raw materials and rising energy costs make recycled foam underlays more affordable,

Traditional Rubber Underlays

These more traditional underlays deliver a wide ranging balance of comfort and durability.

Blown Rubber

Formed under intense heat to create pockets of air, this type of rubber underlay delivers increasingly higher levels of comfort and durability depending upon thickness and density.

Crumb Rubber

Our crumb rubber underlays are made using the rubber from recycled car tyres. They have the best durability and recovery ratings of all underlays. Suitable for heavy were areas in both residential and commercial installations. For many, these are the ultimate performance underlays, providing the best support for your carpet.



carpet underlays

Wool Felt Underlays

As one of the original carpet underlays, wool felt continues to be the natural choice for your carpet. With exceptional heat insulation properties, wool felt underlays have great bedding down qualities, extensively used with woven backed carpets like Wiltons and Axminsters. Made from recycled wool, jute and synthetic fibres these underlays are fully recyclable after their long use.

Combination Crumb Rubber/Wool Felt Underlays

The combination underlays provide the exceptional recovery properties of crumb rubber, with the great bedding in and heat insulation properties of wool felt.

High Heat Insulator

All underlays help to reduce heat loss through the floor, but some underlays are better insulators than others. See our carpet underlay recommendation chart on page 15 to compare tog ratings.

Superb Sound Reducer

All our carpet underlays help to reduce noise both through and back into the room, but again some underlays are better sound reducers than others

Guaranteed for the serviceable life of the carpet when used in the recommended areas.



Display & Prosper

The range of Floorwise branded underlays has been carefully designed to attract attention and the in-store promotional and display material are key to helping you sell up to the higher margin underlays.

Service

Our range of Floorwise branded underlays are made to the highest standards on the very latest machinery. All underlays within the range are readily available from our exclusive network of distributors throughout the UK & Ireland.



Each underlay is differentiated by its performance characteristics. Generally the thicker the underlay the better the comfort. The greater the density the better the underlay will perform over time.

comfort feeling underfoot





















is how the underlay's **durability** and **recovery** properties will **perform over time**.

Use the **individual performance charts** to compare and help choose the right underlay for the job.

The thicker the underlay the better the comfort The greater the density the better the bouncebackability comfort

comfort and durability required the carpet type, the place it is to be laid and the footfall expected.

The balance of

better best



luxury under your feet

Using premium materials for underlays of exquisite quality,

Yee! the Difference is a collection that truly delivers comfort and luxury under your feet.







PU foam underlays

PU Foam Underlays common features:

- Long lasting performance
- Increase the life of your carpet of the home
- Excellent sound absorption
- · Excellent heat insulator
- Suitable for all rooms
- Exceeds BS Standards









PU Foam Underlays common features:

- Long lasting performance
- Increase the life of your carpet
- Excellent sound absorption
- Excellent heat insulator
- Suitable for all rooms
 - of the home
- Exceeds BS Standards









E° **floor**wise





PU josin underlays


PU Foam Underlays • Long lasting performance common features:

- Increase the life of your carpet of the home
- Excellent sound absorption
- Excellent heat insulator
- Suitable for all rooms
- Exceeds BS Standards





GD/U general domestic use **roll**size: 1.37m x 11m = **15.07**m²



rubber underlays

Rubber Underlays common features:

- Long lasting performance
- Excellent sound absorption
- · Great heat insulator
- · Increase the life of your carpet · Suitable for all rooms of the home
 - Exceeds BS Standards











felt underlays





These Ultra High Density underlays are made from recycled rubber crumb and wool felt for an ultra performing underlay, providing excellent bedding in qualities for woven backed carpets





HC/U heavy domestic & contract use

rollssize: $1.37m \times 11m = 15.07m^2 + 1.37m \times 7.3m = 10.00m^2 \frac{durability}{durability}$



UHD













UHD





crumbrubber/ woolfelt underlay

HC/U heavy domestic & contract use









rollssize: 1.37m x 11m = **15.07**m² + 1.37m x 7.3m = **10.00**m² **durability**









HC/U heavy domestic & contract use

These High Density underlays are made from recycled wool felt for improved insulation and provide excellent bedding in qualities for woven backed carpets.







carpet under ay recommendations

Each Floorwise underlay has unique performance characteristics. We have included a recommendation table for you to be able to easily compare the underlays. Please note that generally the thicker the underlay, the better the underfoot comfort, whilst the greater the density the better the underlay will perform over time.

The table includes a classification column, which rates the underlay to BS EN 14499 standards. Also included in the table are TOG ratings, with some underlays being better insulators than others. Finally, there is an impact sound rating, which is a guide to how well the underlay suppresses noise from the room above.

GC/U L/U GD/U LD/U

Heavy Contract Use General Contract Use Luxury Domestic Use General Domestic Use Light Domestic Use – not suitable for stairs

ROOMS

			HUU	IVIC					1	1		
Range Name	GB	МВ	L/D R	H,S & L	Comm	Density	Thickness	EN Use	Roll Weight Kg	BS4790 Flammability	Tog	Impact Sound dB
FtD Elegance	1	1	1	•	1	UHD+	10mm	L/U	24.8	Pass	2.68	△ LW 31
FtD Inspiration	1	1	1		● 1	UHD+	10mm	L/U	40.5	Pass	1.60	△ LW 43
FtD Prestige	1	1	1	•	● ¹	UHD+	11mm	L/U	36.0	Pass	2.95	△ LW 35
Tread	1	1	1	1	•	UHD+	9mm	L/U	25.2	Pass	2.44	△ LW 39
Lift	1	1	1	1	1	UHD+	7mm	HC/U	19.8	Pass	2.02	△ LW 39
Supreme	1	1	1	•	● 1	SHD+	11mm	L/U	24.0	Pass	2.89	△ LW 43
Allure	1	1	1	•	● 1	SHD+	11mm	L/U	23.0	Pass	2.89	△ LW 43
Vitality	1	1	1	1	● ¹	SHD+	9mm	L/U	19.7	Pass	2.37	△ LW 39
Verve	1	1	1	1	● 1	SHD+	9mm	L/U	19.5	Pass	2.54	△ LW 40
Maxi	1	1	1	•	● 1	EHD+	11mm	L/U	21.0	Pass	3.50	△ LW 45
Flexilay 11	1	1	1	•	● ¹	EHD+	11mm	L/U	21.0	Pass	3.55	△ LW 39
Esteem	1	1	1	•	● 1	EHD+	10mm	L/U	21.0	Pass	3.55	△ LW 39
Traffic	1	1	1	•	● ¹	EHD+	9mm	L/U	17.4	Pass	2.80	△ LW 41
Flexilay 9	1	1	1	•	● ¹	EHD+	9mm	L/U	17.4	Pass	2.80	△ LW 41
Lush	1	1	1	•		HD+	12mm	L/U	19.2	Pass	3.26	△ LW 45
Panache	1	1	1	•		HD+	10mm	L/U	15.8	Pass	2.64	△ LW 39
Spirit	1	1	1	•		HD+	10mm	L/U	16.0	Pass	2.83	△ LW 36
Lusso	1	1	1	•		HD+	10mm	L/U	15.6	Pass	2.51	△ LW 38
Bravura	1	1	1	•		HD+	9mm	L/U	12.2	Pass	2.25	△ LW 34
Style	1	1	1	•		HD+	8mm	L/U	12.6	Pass	2.18	△ LW 32
Solo	1	1	1	•		HD+	8mm	L/U	12.8	Pass	2.48	△ LW 34
Prima	1	1	1	•		HD+	8mm	L/U	12.6	Pass	1.96	△ LW 33
Fascino	1	1	1	•		MD+	12mm	GD/U	15.3	Pass	2.80	△ LW 45
Essentials 10	1	•	1	•		MD+	10mm	GD/U	12.9	Pass	2.40	△ LW 38
Attivo	1	•	1	•		MD+	10mm	GD/U	12.9	Pass	2.45	△ LW 38
Essentials 8	1	•	1	•		MD+	8mm	GD/U	10.5	Pass	1.90	△ LW 33
Senso	1	•	1	•		MD+	8mm	GD/U	10.5	Pass	1.95	△ LW 33
Initio		•				MD+	7mm	LD/U	8.4	Pass	1.80	△ LW 29
Champion	1	1	1	1	•	UHD+	8mm	HC/U	34.0	Pass	1.40	△ LW 33
Vigour	/	1	1	1	✓	UHD+	6.75mm	HC/U	36.5	Pass	1.20	△ LW 31
Pinnacle	1	1	1	•	● ¹	UHD+	9.75mm	L/U	40.5	Pass	1.50	△ LW 42
Thermaflow Impact	1	1	1	1		SHD+	6.75mm	HC/U	39.0	Pass	0.79	△ LW 31
Duet Sovereign 10m ²	1	1	1	•	● ¹	UHD+	11mm	HC/U	24.0	Pass	2.95	△ LW 34
Duet Sovereign 15.07m ²	1	1	1	•	● ¹	UHD+	11mm	HC/U	36.2	Pass	2.95	△ LW 34
Duet Supreme 10m ²	1	1	1	•	● ¹	UHD+	10mm	HC/U	24.0	Pass	2.90	△ LW 34
Duet Supreme 15.07m ²	1	1	1	•	●1	UHD+	10mm	HC/U	36.2	Pass	2.90	△ LW 34
Duet 10m ²	1	1	1	•	● ¹	UHD+	9mm	HC/U	20.0	Pass	2.70	△ LW 32
Duet 15.07m ²	1	1	1	•	● 1	UHD+	9mm	HC/U	30.2	Pass	2.70	△ LW 32
Symphony 56	1	1	1	•	● ¹	HD+	13.75mm	HC/U	28.6	Pass	2.90	△ LW 38
Symphony 52	1	1	1	1	● 1	HD+	13mm	HC/U	25.2	Pass	2.80	△ LW 35
Symphony 42	1	1	1	1	●1	HD+	11mm	HC/U	21.5	Pass	2.50	△ LW 32
Symphony 28	/		/		● ¹	MD+	8mm	GC/U	14.3	Pass		

∕ Recommended ● Suitable for use in ●¹ Stretch Fit installations only

GB General Bedroom MB Master Bedroom L/D R Lounge Dining Room H,S,L Hall Stairs Landing Comm Commercial Use



wood/la

Wood/laminate/LVT underlays

Floorwise brings together a wide range of different types of underlay that provide cushioned support and help to reduce the sound made by wood, laminate & LVT floorcoverings.

Acoustica Underlays

The Floorwise acoustica range of dense rubber underlays are excellent at absorbing noise, both between floors by way of impact sound reduction and within the room through airborne noise reduction.

Whisper Underlays

The whisper range of PE foam underlays are also very good at absorbing impact noise but do not perform to the same standards as the acoustica range for airborne sound.

Sound Reducing Underlays

The Floorwise range of underlays are excellent at absorbing noise, between the floors by way of impact sound reduction...





Absorbing Minor Floor Imperfections

With the increasing thickness, Floorwise underlays become better at absorbing minor floor imperfections. However, it is always advisable to prepare the subfloor so that it is perfectly flat by using a self-levelling compound like Pro-Screed Gold or flooring grade plywood like SP101.

Cushioned Support

The higher the density the better the support for the Wood/Laminate & LVT floor above



Built in Moisture Barrier.

Most of the Floorwise underlays have a built in moisture barrier, some with overlap, which help protects the floorcovering from the ingress of moisture. The moisture barriers are not a replacement for a DPM but will help control the flow of moisture from the subfloor below.



Recycled

Some of our underlays use recycled materials such as Crumb Rubber from Recycled car tyres, along with the PE Foam underlays they are also recyclable after use



Suitability for Underfloor

Our underlays are suitable for use with most underfloor heating systems.
The only real exception is the cable matting system which was developed specifically for use with ceramic and stone floor tiles.



minate/LVT underlays

LVT Underlays

These underlays are currently thinner than their wood/laminate counterparts, mainly because the click systems on LVT floorcoverings are not as robust as those on wood & laminate flooring. There has been a concern that too much cushioned support would allow the click system to disengage during normal footfall. However, as LVT flooring becomes denser and the click systems improve the need for a super thin underlay may diminish.

Guaranteed for the serviceable life of the wood/laminate/LVT floor when used



Sound Performance

through acoustic values derived from official British standards data and conveyed to make the results simple to understand.

Service

Our range of Floorwise branded the highest standards on the very latest machinery. They are readily available from our exclusive network of distributors hroughout the UK & Ireland.

See our website www.floorwise.co.uk for more details.

Display & Prosper

The range of Floorwise branded underlays has been carefully designed to attract attention and the in-store are key in helping you sell up to the higher margin underlays.



Each underlay is differentiated by its sound performance characteristics. Generally the thicker and denser the underlay the better the sound reduction.

reduction x4 (©



good























77000/131

acoustica sound reducing underlays

acoustica

Wood/Lam/LVT underlays common features:

- · Excellent sound reducers
- Premium cushioned support
- Absorbs minor floor imperfections
- Built-in moisture barrier
- Increased underfoot comfortSuitable for underfloor heating



minate/LYT underlays





Wood/E



fibreboard underlay



minate/L/Tunderlays

whisper sound reducing underlays

Whisper Underlays common features:

- Good sound reducersExcellent cushioned support
- Absorbs minor floor imperfections
- Built-in moisture barrier
- Increased underfoot comfort
- Suitable for underfloor heating





77000/EI

whisper sound reducing underlays

Whisper Underlays common features:

- Good sound reducers **Excellent** cushioned support
- **Absorbs** minor floor imperfections
- · Built-in moisture barrier
- Increased underfoot comfort
- Suitable for underfloor heating





minate/Ly Tunderlays

recommendations

denser the underlay the better it is at reducing sound, which is why Rubber underlays are generally better than PE Foam Underlays.

Included in the table are thicknesses, tog ratings, impact sound ratings and our unique sound performance classifications:

USR+ Ultimate Sound Reduce PSR+ Premium Sound Reducer ESR+ Enhanced Sound Reducer GSR+ Good Sound Reducer BSR Basic Sound Reducer

ROOMS

6	And I'm I want I'll	11210	1 80			111111	The series	ロオラフスモル	BON BUILD	GLANDE ALLA		11.50	
	Range Name	GB	МВ	L/D R	H,S & L	Comm Use	Density kg/m³	Roll Weight	Moisture Barrier	Thickness	Sound Performance Class	Tog	Impact Sound dB
	Acoustica Platinum	1	1	1	1	✓	707	38.4kg	✓	3.75mm	USR+	0.28	△ LW 23
	Acoustica Gold Supreme	1	1	1	1	✓	350	12.3kg	✓	3.50mm	USR+	0.25	△ LW 23
	Acoustica Gold Excel	✓	1	✓	1	✓	930	28.0kg	1	3.50mm	USR+	0.28	△ LW 23
	Acoustica Gold	✓	1	1	1	✓	735	21.4kg	1	3.00mm	PSR+	0.25	△ LW 20
	Acoustica Bronze	✓	1	1	1	1	735	32.2kg		3.00mm	PSR+	0.22	△ LW 22
	Acoustica Silver	✓	1	1	1	✓	925	18.5kg	1	2.00mm	ESR+	0.22	△ LW 22
	Acoustica LVT 18dB	✓	1	1	1	1	1666	25.0kg		1.50mm	ESR+	0.12	△ LW 18
	Acoustica Fibreboard	✓	1	1	1	✓				5.00mm	GSR+	0.50	△ LW 22
	Whisper Gold	✓	1	1	1	✓	30	1.78kg	+Overlap	5.00mm	PSR+	1.20	△ LW 21
4	Whisper Guard	✓	1	1	1	✓	65	2.92kg	+Overlap	3.50mm	PSR+	0.88	△ LW 23
	Whisper Silver	✓	1	1	1	•	30	1.77kg	√ +Overlap	3.00mm	GSR+	0.87	△ LW 19
	Whisper Green Barrier	√	1	1	1	•	30	1.93kg	√ +Overlap	3.00mm	GSR+		△ LW 19
	Whisper 3mm	✓	1	1	1	•	20	0.90kg		3.00mm	BSR	0.70	△ LW 18
	Whisper 2mm	✓	1	1	1	•	20	0.60kg		2.00mm	BSR	0.41	△ LW 18

✓ Recommended • Suitable for use in

GB General Bedroom MB Master Bedroom L/D R Lounge Dining Room H,S,L Hall Stairs Landing Comm Commercial Use





underfloor heating

Floorwise have brought together a unique collection of low-tog underlays guaranteed for use with most types of underfloor heating.*/ Designed for use with normal operating underfloor heating systems, these underlays will not produce odours or degrade when used at higher temperatures over prolonged periods of time.

*1 They are not be suitable for electric heating mats and some electric cables. Checks should be made with the underfloor heating manufacturer as to the suitability prior to installation.



■ Impact Sound Reduction: 31dB ■ Thermal Resistance: 0.79 Tog

■ Roll Weight: 39kg ■ Roll Size: 1.30m x 8.43m =

10.96 m²



■ Impact Sound Reduction: 22dB ■ Thermal Resistance: 0.22 Tog
■ Roll Weight: 32.2kg ■ Roll Size: 1.37m x 11m =

15.07 m²

commercial grade underlays



suitable for doublestick or stretch fit installations

The following heavy contract use underlays are guaranteed for commercial double stick or stretch fit installations.

The ultra high density underlays make them ideal for heavy wear areas and are suitable for wheeled traffic.





■ Impact Sound Reduction: 31dB ■ Thermal Resistance: 1.20 Tog ■ Roll Weight: 36.5kg ■ Roll Size: 1.37m x 11m =



■ Impact Sound Reduction: 39dB ■ Thermal Resistance: 2.02 Tog ■ Roll Weight: 19.8kg ■ Roll Size: 1.37m x 11m =



Ask your local distributor for a dual presenter



plywood, hardboard + paper felt

SP101 Plywood

SP101 Flooring Plywood® has been developed to exceed BS8203 standards as a fully reliable underlay meant for use in the subfloor preparation in readiness for all types of floorcovering.

- Meets BS8203: 2017 Plywood Annexe A
- TFT Woodexperts Diamond Mark Certified
- High quality face veneers
- Reliable glue line performance
- Accurate dimensional tolerances
- Recommended by most flooring manufacturers

Available in a range of thicknesses and sizes.

Hardboard 3.2mm



Our hardboard is a versatile general purpose fibreboard usually used for levelling uneven floorboards.

Paperfelt

Our quality lining paper helps protect the subfloor and prevents dust from rising through the floorboards.

Available in a range of weights and roll sizes.



SP101








When it comes to flooring installation, **Floorwise** is the name for **quality** and **value**!

For **over 35 years** Floorwise has been the **number one choice** for flooring professionals.

Reliable service, through an exclusive network of distributors, and the consistent quality of our products has earned Floorwise an enviable reputation.

Floorwise strives to deliver excellence in innovation too, with a continuous development programme aimed at meeting the evolving needs of both consumers and installers alike.

for sales and enquiries contact:




find us on

@floorwisehq or visit us at www.floorwise.co.uk

it's time to get wise

about flooring installation with our other market-leading products:



© Floorwise Group Ltd, 202

















