

UNDERLAY
ADHESIVES & SCREEDS
PROFILES
GRIPPER
TOOLS
TAPES
NOSINGS & TRIMS
MATTING
ARTIFICIAL GRASS

Fantastic Floors start with Floorwise

For over 40-years Floorwise has supplied the flooring industry with an ever wider range of products earning an enviable reputation along the way as the professionals choice. This range today includes underlay, gripper, adhesives and screeds, profiles, tools and far more – in fact everything you need to create a fantastic floor.

Floorwise products are renowned for combining quality and value and are available exclusively through our network of independent distributors who can help advise customers as the best option for their requirements with their extensive product knowledge.

This is why fantastic floors start with Floorwise.



This is a Floorwise product guide only. If you have any questions about prices please contact your local Floorwise distributor (see back cover).

Underleve	Feel The Difference	8	
Underlays	PU Foam Underlays	10	
	Rubber and Felt Underlays	14	\
	Carpet Underlay Selector	15	
	Wood/Laminate underlays	20	
	Plywood, Hardboard and Felt	24	
	Scotia	25	
	Coond		
Adhesives and severals	Levelling and Smoothing compounds	26	
Adhesives and screeds	Flooring and Cartridge Adhesives	28	
	Spray Adhesives	30	
Crimner	Premium Gripper	32	
Gripper	Diamond Gripper	32	
	Diamond Gripper	32	\
Profiles	Max Reflections	35	
Profiles	Max Profiles	36	
	Profile Displays	37	
	Classic Profiles	38	
	Zenith Profiles	40	
	Flexible PVC Floor Profiles	42	
	Aluminium Stair Nosings	45	
Stair nosings	_		
	Q Range	46	
	Stair Edge Trims and Angles	48	
	Floormitre Cap & Cove System	48	
	Flexible Bevels, Ramps, Profiles		
	and Joints	49	
	PVC Skirtings	50	
	Colour Charts	52	
Tools and sundries	Cutting	55	
	Carpet Fitting	56	
	Measuring and Scribing	59	
	Surface Preparation	60	
	Wood and Laminate Floor Laying	62	
	PVC/Lino Laying	63	
	Workwear and Protection	64	
	Storage and Handling	64	
	Storage and Handling	04	
Entrance matting	Endurance, Fortitude and Manhattan	66	
Littiance matting			
Tence	Heatseam Tape	68	
Tapes	Adhesive Tape	69	
-	Transite Tape	00	
Artificial grass	Artificial Grass	70	
Ai diliciai yi ass	Accessories	71	





Fantastic floors started with *floorwise in*

1982 - AN ICONIC YEAR

If you went to the cinema, you'd have most likely seen 'ET – the Extra Terrestrial', a relatively low budget new film by Steven Spielberg which went on to become one of the highest grossing movies of all time - even surpassing Star Wars.

In the intermission, there were some classic adverts with brilliant straplines like 'Possibly the best lager in the World'. Better still, whilst you were watching the film, you wouldn't have been irritated by the constant interruption and screen light from mobile phones - a new technology still in its infancy.







Against this backdrop, The Floorwise Group Ltd. was incorporated in 1982 by a group of independent flooring wholesalers seeking to improve their buying power and to provide trade customers with better quality and value across a range of flooring installation products and accessories.

Over the last 40 years, Floorwise - like mobile phone technology - has constantly moved with the times, improving exponentially and building an ever-wider catalogue of award-winning flooring products. This includes now legendary products like Diamond Gripper and F599 Spray Adhesive alongside innovative new ones like our new Dichloromethane-Free F597 Spray Adhesive.

Today, Floorwise has become the trusted source for installers covering everything from underlays, gripper and profiles, to adhesives, screeds, tapes and a world-class collection of tools from leading brands.

With its distribution depots providing the exceptional quality and value of Floorwise products with the benefits of independent, local service, for many installers it's an unbeatable combination.

So an awful lot has changed over the past 40 years - but if you still want great products and prices from friendly local experts, contact your local Floorwise distributor today and find out why Fantastic floors start with Floorwise.







Underlay

Carpet Underlays	6
Feel the Difference	8
PU Foam Underlays	10
Carpet Underlay Selector	16

There are a wide range of underlay options available today; each has its own strengths and weaknesses so care should be taken in selecting the most suitable for your project.



PU Foam Underlays The market leader!

Although light in weight, PU foam underlays pack a real punch when it comes to comfort and performance. Being under half the weight of traditional rubber underlays means that they can easily be handled on site in line with current health and safety regulations.

They are made from recycled post-industrial foam which is compressed and re-bonded to create a wide range of thicknesses and densities to suit a variety of applications and budgets.


The use of recycled materials helps to keep costs to a minimum making foam underlays excellent value for money and once they have reached the end of their useful life they are also 100% recyclable making them kinder to the environment – all of which explains their enduring popularity.

Bouncebackability Index

Underlays are a great way to increase the comfort and durability of your flooring - but every underlay material has its own strengths and weaknesses to consider. This is where understanding bouncebackability can help decide what is best for you.

Bouncebackability considers the impact of density on an underlay as an Ultra High Density underlay will typically have over twice the weight of foam as a Medium Density underlay, compressed into the same volume. This increased density gives greater resistance to compression making it feel firmer underfoot. The higher foam densities are therefore ideal for use in more heavily trafficked areas such as halls, lounges and landings, and commercial applications. In contrast, lower density foams are great for lower trafficked areas where you may be barefoot and appreciate a softer feel, such as

The balance of comfort and durability greatly depends upon the flooring type, the place it is to be laid and the footfall expected. Our bouncebackability chart helps to explain how a higher density underlay will initially feel much firmer underfoot but will be more consistent as it better resists the longer-term compression forces generated through footfall. In contrast a lower density underlay will initially feel softer but this will decrease more rapidly as the foam compresses underfoot.





Blown Rubber

of comfort and durability depending upon thickness and

Crumb Rubber

recycled car tyres. They have the best durability and heavy wear in both residential and commercial installations,

Rubber Underlays

Wool Felt Underlays

bedding down qualities and are extensively used with their long use.

Combination Crumb Rubber/Wool Felt Underlays

in and heat insulation properties of wool felt.

Underlay Density

time. We offer 6 density

Comfort

GOOD +

(although density also plays We offer underlays in a











9_{mm}

10_{mm}


11_{mm}

→ BEST

6 UNDERLAY **≡** floorwise UNDERLAY 7 floorwise.co.uk/brochures



Using premium materials for underlays of exquisite quality. Feel the Difference is a collection that truly delivers comfort and luxury under your feet.



∜≣°floorwise

UHD

Elegance



DESCRIPTION

High performance recycled PU foam underlay

Roll size $1.37 \times 11m$ = $15.07m^2$

APPLICATION

Usage BS 5808 Luxury

(L/U) **Traffic** Residential or

commercial

PERFORMANCE

Comfort ****
Durability *****
Bounceback ****
Heat Insulation 2.68 TOG
Sound reduction 41dB

Inspiration



DIMENSIONS

High performance sponge rubber waffle underlay

Roll size $1.37 \times 8m$ = $10.96m^2$

APPLICATION

Usage BS 5808 Luxury (L/U)

Traffic Residential or commercial

PERFORMANCE

 Comfort

 Durability

 Bounceback

 Heat Insulation
 1.60 TOG

 Sound reduction
 43dB

Prestige



DIMENSIONS

High performance rubber crumb plus felt underlay

Roll size $1.37 \times 7.3 \text{m}$ = 10.00m^2

APPLICATION

Usage BS 5808 Heavy contract (HC/U)

Traffic Residential or

raffic Residential or commercial

PERFORMANCE

Comfort ****

Durability ****

Bounceback ****

Heat Insulation 2.95 TOG

Sound reduction 35dB

SHD

Desire



DIMENSIONS

High performance recycled PU foam underlay

Roll size 11x 1.37m

 $= 15.07m^2$

APPLICATION

Usage BS 5808 Luxury (L/U)

Traffic Residential or

commercial

PERFORMANCE

 Comfort
 * * *


 Durability
 * * * * *

 Bounceback
 * * * * *

 Heat Insulation
 2.37 TOG

 Sound reduction
 39dB

PU Foam Underlays



(L/U) Traffic Residential or commercial

PERFORMANCE

Comfort Durability **Bounceback** Heat Insulation 2.44 TOG Sound reduction 39dB

Mesh grid backing

(HC/U) Traffic Residential or commercial

PERFORMANCE

Comfort Durability **Bounceback** Heat Insulation 2.02 TOG Sound reduction 39dB

Suitable for wheeled traffic

(L/U) Traffic Residential or commercial

PERFORMANCE

Comfort Durability **** Bounceback Heat Insulation 2.89 TOG Sound reduction 43dB

(L/U) Traffic Residential or commercial

PERFORMANCE

Comfort Durability **Bounceback** Heat Insulation 2.54 TOG Sound reduction 40dB

(L/U) Traffic Residential or commercial

PERFORMANCE

Comfort Durability Bounceback Heat Insulation 3.50 TOG Sound reduction 45dB

Traffic





DIMENSIONS Roll size

1.37 x 11m = 15.07m²

APPLICATION

Usage BS 5808 Luxury (L/U) Traffic Residential

PERFORMANCE

Comfort Durability Bounceback Heat Insulation 2.80 TOG Sound reduction 41dB

For prices contact your nearest distributor - see back cover



PU Foam Underlays



Panache



DIMENSIONS Roll size

oll size 1.37 x 11m = 15.07m²

APPLICATION

Usage BS 5808 Luxury (L/U)
Traffic Residential

PERFORMANCE

Lusso



DIMENSIONS Roll size

II size 1.37 x 11m = 15.07m²

APPLICATION

Usage BS 5808 Luxury (L/U)
Traffic Residential

PERFORMANCE

 Comfort
 * * * * * *

 Durability
 * * *

 Bounceback
 * *

 Heat Insulation
 2.51 TOG

 Sound reduction
 38dB

Style



DIMENSIONS

Roll size $1.37 \times 11m$ = $15.07m^2$

APPLICATION

Usage BS 5808 Luxury (L/U)
Traffic Residential

PERFORMANCE

Comfort ***
Durability ***
Bounceback ***
Heat Insulation 2.18 TOG
Sound reduction 32dB

Prima



DIMENSIONS

Roll size $1.37 \times 11m$ = $15.07m^2$

APPLICATION

Usage BS 5808 Luxury (L/U)
Traffic Residential

PERFORMANCE

Comfort ***
Durability ***
Bounceback ***
Heat Insulation 1.96 TOG
Sound reduction 33dB

MD

Essentials 10mm



DIMENSIONS Roll size

Il size 1.37 x 11m = 15.07m²

APPLICATION

Usage BS 5808 General (GD/U)
Traffic Residential

PERFORMANCE

Comfort ****

Durability **

Bounceback *

Heat Insulation 2.40 TOG

Sound reduction 38dB

Essentials 8mm



Roll size

ize 1.37 x 11m = 15.07m²

APPLICATION

Usage BS 5808 General (GD/U)
Traffic Residential

PERFORMANCE

For prices contact your nearest distributor - see back cover

Rubber and Felt Underlays

Pinnacle



Roll size

 $1.37 \times 8m$ = $10.96m^2$

APPLICATION

Usage BS 5808 Luxury
(L/U)
Traffic Residential or
commercial

PERFORMANCE

Comfort ****
Durability ****
Bounceback ***
Heat Insulation 1.50 TOG
Sound reduction 42dB

Champion



DIMENSIONS Roll size

I size $1.37 \times 8m$ = $10.96m^2$

APPLICATION

Usage BS 5808 Heavy contract (HC/U)

Traffic Residential or commercial

PERFORMANCE

Comfort **
Durability *****
Bounceback *****
Heat Insulation 1.40 TOG
Sound reduction 33dB

Suitable for wheeled traffic

Vigour



DIMENSIONS

Roll size $1.37 \times 11m$ = $15.07m^2$

APPLICATION

Usage BS 5808 Heavy contract (HC/U)

Traffic Residential or commercial

PERFORMANCE

Suitable for wheeled traffic

UHD

Duet Sovereign



DIMENSIONS Roll size 1.3

oll size 1.37 x 8m =10.00m²

APPLICATION

Usage BS 5808 Heavy contract (HC/U)

Traffic Residential or commercial

PERFORMANCE

Comfort ****
Durability *****
Bounceback ****
Heat Insulation 2.95 TOG
Sound reduction 34dB

SHD

Thermaflow Impact



DIMENSIONS

Roll size $1.37 \times 8m$ = $10.96m^2$

APPLICATION

Usage BS 5808 Heavy contract (HC/U)

Traffic Residential or commercial

PERFORMANCE

Comfort **
Durability ****
Bounceback *
Heat Insulation 0.79 TOG

Sound reduction 31dB

Suitable for wheeled traffic

(HD+)

Symphony



DIMENSIONS

Roll size

1.37 x 11m = 15.07m²

APPLICATION

Usage BS 5808 Heavy contract (HC/U)

Traffic Residential or

commercial

PERFORMANCE

Comfort ***
Durability *****
Bounceback *****
Heat Insulation 2.50 TOG
Sound reduction 32dB

* A range of thicknesses are available. See pages 18 and 19

For prices contact your nearest distributor - see back cover

Carpet Underlay Selector

Each Floorwise underlay has unique performance characteristics. We have included a recommendation table for you to be able to easily compare the underlays. Please note that generally the thicker the underlay, the better the underfoot comfort, whilst the greater the density the better the underlay will perform over time. **Key** ✓✓ Recommended ✓ Suitable ✓* Stretch Fit installations only

The table includes a classification column, which rates the underlay to BS EN 14499 standards. Also included in the table are TOG ratings, with some underlays being better insulators than others. Finally, there is an impact sound rating, which is a guide to how well the underlay suppresses noise from the room above.

Range	Pro	oduct			Use				Performa	nce			Specific	ation		
			GB	MB	L/DR	H,S,L	Comm	Comfort	Durability	Bounceback	Thickness (mm)	Dimensions $w \times I = m^2$	EN use BS5808	Roll weight (kg)	Heat insulation (TOG)	Sound reduction (dB)
Ultra High De	ensity Ele	gance	√ √	√ √	√√	✓	√ *	****	*****	****	10	1.37 x 11.0 = 15.07	L/U	24.8	2.68	31
C OTH	F	piration	√ ✓	/ /	//	✓	√ *	****	****	***	10	1.37 x 8.0 = 10.96	L/U	40.5	1.60	43
Jeel diff	erence Pr	estige	√ ✓	/ /	√√	✓	√ *	****	*****	*****	11	1.37 x 7.3 = 10.00	L/U	36.0	2.95	35
UHD	D	esire	//	//	✓✓	✓	√ *	***	****	****	9	1.37 x 11.0 = 15.07	L/U	21.0	2.95	35
Ultra High De	ensity T	read	√ √	√ √	√√	√ √	✓	***	*****	****	9	1.37 x 11.0 = 15.07	L/U	25.2	2.44	39
UHD		Lift	//	/ /	√√	//	✓✓	*	*****	****	7	1.37 x 11.0 = 15.07	HC/U	19.8	2.02	39
Super High D	ensity Su	preme	//	//	√√	✓	√ *	****	****	***	11	1.37 x 11.0 = 15.07	L/U	24.0	2.89	43
SHD		Allure	√ √	/ /	√ √	✓	√ *	****	****	***	11	1.37 x 11.0 = 15.07	L/U	23.0	2.89	43
	V	itality	//	//	✓✓	√ √	√ *	***	****	****	9	1.37 x 11.0 = 15.07	L/U	19.7	2.37	39
		/erve	//	//	✓✓	√√	√ *	***	****	****	9	1.37 x 11.0 = 15.07	L/U	19.5	2.54	40
Extra High De	ensity r	Maxi	//	√ √	√√	✓	√ *	****	****	***	11	1.37 x 11.0 = 15.07	L/U	21.0	3.50	45
EHD	Flex	xilay 11	//	//	√ √	√√	√ *	****	***	***	11	1.37 x 11.0 = 15.07	L/U	21.0	3.55	39
	Es	steem	//	//	√ √	✓	√ *	****	***	***	10	1.37 x 11.0 = 15.07	L/U	21.0	3.55	39
	T	raffic	//	/ /	√ √	✓	√ *	****	***	***	9	1.37 x 11.0 = 15.07	L/U	17.4	2.80	41
	Fle	exilay 9	//	//	//	✓	√ *	****	***	***	9	1.37 x 11.0 = 15.07	L/U	17.4	2.80	41
High Density	Plus [_ush	//	√ √	//	✓	-	*****	***	**	12	1.37 x 11.0 = 15.07	L/U	19.2	3.26	45
HD	Pa	nache	//	//	//	✓	-	****	***	**	10	1.37 x 11.0 = 15.07	L/U	15.8	2.64	39
		Spirit	//	√ √	√ √	✓	-	***	***	**	10	1.37 x 11.0 = 15.07	L/U	16.0	2.83	36
		.usso	/ /	//	√ √	✓	-	****	***	**	10	1.37 x 11.0 = 15.07	L/U	15.6	2.51	38
		Style	/ /	√ √	√ √	✓	-	***	***	***	8	1.37 x 11.0 = 15.07	L/U	12.6	2.18	32
		Solo	/ /	√ √	√ √	✓	-	***	***	***	8	1.37 x 11.0 = 15.07	L/U	12.8	2.48	34
	F	Prima	//	//	√ √	✓	-	***	***	***	8	1.37 x 11.0 = 15.07	L/U	12.6	1.96	33

All products are recommended for use in GB - General Bedroom, MB - Master Bedroom, L/DR - Lounge/Dining Room, H/S/L Hall/Stairs/Landing, Comm - Commercial Use.

16 UNDERLAY floorwise floorwise.co.uk/brochures **UNDERLAY 17**



Carpet Underlay Selector

Each Floorwise underlay has unique performance characteristics. We have included a recommendation table for you to be able to easily compare the underlays. Please note that generally the thicker the underlay, the better the underloot comfort, whilst the greater the density the better the underlay will perform over time.

Key ✓✓ Recommended ✓ Suitable ✓* Stretch Fit installations only

The table includes a classification column, which rates the underlay to BS EN 14499 standards. Also included in the table are TOG ratings, with some underlays being better insulators than others. Finally, there is an impact sound rating, which is a guide to how well the underlay suppresses noise from the room above.

Range	Product			Use			Perfo	rmance				Specifica	ition		
		GB	МВ	L/DR	H,S,L	Comm	Comfort	Durability	Bounceback	Thickness (mm)	Dimensions $w \times I = m^2$	EN use BS5808	Roll weight (kg)	Heat insulation (TOG)	Sound reduction (dB)
Medium	Fascino	//	/ /	//	✓	-/	*****	**	**	12	1.37 x 11.0 = 15.07	GD/U	15.3	2.80	45
Density M	Essentials 10mm	✓✓	✓	√ √	✓	-	****	**	**	10	1.37 x 11.0 = 15.07	GD/U	12.9	2.40	38
MD to a manual m	Attivo	√√	✓	V V	✓	-	****	**	**	10	1.37 x 11.0 = 15.07	GD/U	12.9	2.45	38
<u>ត</u>	Essentials 8mm	11	√	/ /	✓	- 1	***	**	**	8	1.37 x 11.0 = 15.07	GD/U	10.5	1.90	33
	Senso	/ /	✓	/ /	✓	-	**	**	**	8	1.37 x 11.0 = 15.07	GD/U	10.5	1.95	33
Ultra High	Champion	//	√√	√ √	✓✓	✓	**	*****	****	8	$1.37 \times 8.0 = 10.96$	HC/U	34.0	1.40	33
Density UHD	Vigour	✓✓	✓✓	✓✓	✓✓	/ /	*	*****	*****	6.75	1.37 x 11.0 = 15.07	HC/U	36.5	1.20	31
Dec	Pinnacle	//	✓✓	//	✓	√ *	****	****	***	10	$1.33 \times 8.24 = 10.96$	L/U	40.5	1.50	42
Super High Density	Thermaflow Impact	/ /	√√	/ /	//	√ *	*	****	*****	6.75	1.33 x 8.24 = 10.96	HC/U	39.0	0.79	31
Ultra High	Duet Sovereign 10m ²	√ √	√ √	√ √	✓	√ *	****	*****	****	11	1.37 x 11.0 = 15.07	HC/U	24.0	2.95	33
Density UHD	Duet Sovereign 15.07m ²	//	//	//	✓	√ *	****	*****	****	11	1.37 x 7.3 = 10.00	HC/U	36.2	2.95	34
	Duet Supreme 10m ²	✓✓	//	√ √	✓	√ *	****	*****	****	10	1.37 x 11.0 = 15.07	HC/U	24.0	2.90	34
Density	Duet Supreme 15.07m ²	//	//	//	✓	√ *	****	*****	****	10	1.37 x 7.3 = 10.00	HC/U	36.2	2.90	34
	Duet 10m ²	//	/ /	//	✓	√ *	***	*****	****	9	1.37 x 11.0 = 15.07	HC/U	20.0	2.70	32
3	Duet 15.07m ²	//	//	√ √	✓	√ *	***	*****	****	9	1.37 x 7.3 = 10.00	HC/U	30.2	2.70	32
High	Symphony 56	//	//	√ √	✓	√ *	***	***	**	13.75	1.37 x 11.0 = 15.07	HC/U	28.6	2.90	38
Density	Symphony 52	/ /	//	✓✓	√ √	√ *	***	****	**	13	1.37 x 11.0 = 15.07	HC/U	25.2	2.80	35
	Symphony 42	//	//	√ √	√ √	√ *	***	****	***	11	1.37 x 11.0 = 15.07	HC/U	21.5	2.50	32
	Symphony 28	//	✓	//	✓	√ *	*	***	***	8	1.37 x 11.0 = 15.07	GD/U	14.3	_	_

All products are recommended for use in GB - General Bedroom, MB - Master Bedroom, L/DR - Lounge/Dining Room, H/S/L Hall/Stairs/Landing, Comm - Commercial Use.




Wood, Laminate and LVT Underlays

Acoustica Gold Excel 21
Acoustica Silver 21
Acoustica Fibreboard 21
Wood, Laminate and LVT Selector 22

Floorwise brings together a wide range of different types of non-carpet underlays.

Floorwise brings together a wide range of different types of specialist underlay for use under Wood, Laminate and LVT flooring. These underlays are thinner than those used under carpets and are ideal for helping to provide cushioned support and absorbing minor surface imperfections making for an easy installation that will prolong the life of your floorcoving. Equally importantly they will significantly reduce the sound made by wood, laminate & LVT floorcoverings making for a nicer living environment.



The whisper range of PE foam underlays are also very good at absorbing impact noise but do not perform to the same standards as the acoustica range for airbourne sound. The Floorwise range of wood, Laminate and LVT Underlays is all rated according to our Sound Reduction guide to help decide which product will be best for your project.



Ultimate Sound



Premium Sound Reduction



Enhanced Sound Reduction



Good Sound Reduction



Basic Sound Reduction



Acoustica Underlays



Roll size 1 x 10m = 10m²

Thickness 3.00mm
Density 930 kg/m³

APPLICATION

Airborne sound Excellent Impact sound 23dB TOG 0.25

- Built in water vapour barrier
- Absorbs minor floor imperfections



Thickne Omm
Density 25 kg/m³

 $x 10m = 10m^2$

APPLICATION

Roll size

Airborne sound Great Impact sound 22dB TOG 0.22

- Built in water vapour barrier
- Absorbs minor floor imperfections

GSR+

Acoustica Fibreboard



ONOLOITO

Panel size $0.59 \times 0.85 \text{m} = 0.5 \text{m}^2$ $\times 20 = 10.03 \text{m}^2$

Thickness 5.0mm

Density 250 kg/m³

APPLICATION

Airborne sound Good Impact sound 22dB TOG 0.50

- Absorbs minor floor imperfections

For prices contact your nearest distributor - see back cover

20 UNDERLAY floorwise.co.uk/brochures UNDERLAY 21

Wood, Laminate and LVT Selector

Each Floorwise underlay has unique performance characteristics. We have included a recommendation table for you to be able to easily compare the underlays. Please note that generally the denser the underlay the better it is at reducing sound, which is why Rubber underlays are generally the best option for this application.

Range name	Application					Material	Speci	fication			Specification			
	GB	МВ	L/DR	H,S,L	Comm	Material	Density kg/m³	Roll weight kg	Moisture barrier	Thickness (mm)	Dimensions w x I = m2	Sound performance class	TOG	Impact sound dB
Acoustica Platinum	√√	√√	✓✓	√√	/ /	Supreme Rubber	707	38.4	✓	3.75	1.37 x 11.0 = 15.07	USR+	0.28	23
Acoustica Gold Supreme	√√	√ √	√ √	√ √	/ /	Rubber Crumb	350	12.3	✓	3.50	1.0 x 10.0 = 10.0	USR+	0.80	23
Acoustca Gold Excel	//	/ /	/ /	/ /	√ √	Supreme Rubber	930	28.0	✓	3.00	1.0 x 10.0 = 10.0	USR+	0.28	23
Acoustica Gold	/ /	√ √	√ √	/ /	/ /	Supreme Rubber	735	21.4	✓	3.00	$0.685 \times 14.0 = 10.0$ or $1.37 \times 7.3 = 10.0$	PSR+	0.25	20
Acoustica Silver Supreme	√√	√ √	√ √	√ √	/ /	Rubber Crumb	350	10.5	✓	3.00	1.0 x 10.0 = 10.0	PSR+	0.70	22
Acoustica Bronze	/ /	/ /	/ /	/ /	/ /	Premium Rubber	735	32.2	-	2.00	1.37 x 11 = 15.07	PSR+	0.22	22
Acoustica Silver	√ √	√ √	√ √	√ √	/ /	Premium Rubber	925	18.5	✓	2.00	1 x 10.0 = 10.0	ESR+	0.22	22
Acoustica LVT 18dB	√ √	√ √	√ √	√ √	/ /	Rubber	1666	25.0	-	1.50	1.37 x 7.0 = 10.0	ESR+	0.12	18
Acoustica Fibreboard	//	//	/ /	//	/ /	Wood Fibre	-	-	-	5.00	0.59 x 0.85 = 10.03	GSR+	0.50	22
Whisper Gold	√ √	√√	√ √	√ √	/ /	PE Foam	30	1.78	√ +overlap	5.00	1.0 x 10.0 = 10.0	PSR+	1.20	21
Whisper Guard	√ √	√ √	√ √	√ √	/ /	PE Foam	65	2.92	√ +overlap	3.50	1.0 x 10.0 = 10.0	PSR+	0.88	23
Whisper Silver*	√ √	√ √	√ √	√ √	-	PE Foam	30	1.77	√ +overlap	3.00	1.0 x 15.0 = 15.0	GSR+	0.87	19
Whisper Green Barrier*	√√	√ √	√ √	√ √	-	PE Foam	30	1.93	√ +overlap	3.00	1.0 x 15.0 = 15.0	GSR+	0.72	19
Whisper 3mm*	√ √	√√	√ √	√ √	-	PE Foam	20	0.90	-	3.00	1.0 x 15.0 = 15.0	BSR	0.71	18
Whisper 2mm*	/ /	√ √	√ √	//	-	PE Foam	20	0.60	-	2.00	1.0 x 15.0 = 15.0	BSR	0.41	18

All products are recommended for use in GB - General Bedroom, MB - Master Bedroom, L/DR - Lounge/Dining Room, H/S/L Hall/Stairs/Landing, Comm - Commercial Use.



Plywood, Hardboard and Paper Felt

SP101 Flooring Plywood



Hardboard



Paper Felt



DESCRIPTION

SP101 Flooring Plywood® has been developed to exceed BS8203 standards as a fully reliable underlay meant for use in the subfloor preparation in readiness for all types of floorcovering.

Available in a range of thicknesses and sizes.

BENEFITS

- ✓ Meets BS8203: 2017 Plywood Annexe A
- ✓ TFT Woodexperts Diamond Mark Certified
- ✓ High quality face veneers
- ✓ Reliable glue line performance
- ✓ Accurate dimensional tolerances
- ✓ Recommended by most flooring manufacturers

DESCRIPTION

Our hardboard is a versatile general purpose fibreboard usually used for levelling uneven floorboards.

DESCRIPTION

Our quality lining paper helps protect the subfloor and prevents dust from rising through the floorboards. Available in a range of weights and roll sizes.

Weights

TBC: i.e $1m \times 50m 175 \text{ gsm}$ or $1m \times 100m 175 \text{ gsm}$ or $2m \times 100m 150 \text{ gsm}$

DESCRIPTION

Wood foiled 16.5mm x 16.5mm x 2.4m

Scotia

F541 Scotia

Used to cover the expansion gap on wood and laminate floors.

Available in a wide range of decors, ask your local distributor for a set of colour samples.



Adhesives and screeds

Levelling and Smoothing Compounds 27
Flooring and Cartridge Adhesives 28

Spray Adhesives 29

Floorwise supply the flooring professional with a versatile range of high-quality adhesives and levelling compounds which won't let you down on the job!

All contractors know that the perfect floor needs a perfect base and our range of screeds and levelling compounds cover every need in order to achieve this.

Next they require is an adhesive that holds fast and lasts the course – contractors who try Floorwise adhesives stick with them.

Floorwise won't let you down when it comes to product quality, availability or supply.



F5GOLD Pro-Screed Gold

Part rapid setting latex polymer levelling & smoothing compound

A versatile 2-part latex polymer levelling and smoothing compound with excellent flow and adhesion properties. The unique formulation qualities allow the compound to be installed without the need to prime on most sub floors including timber. It is moisture tolerant and can be laid under and over DPM's and can be applied over most underfloor heating systems.

WALK ON TIME: 90 Minutes

WORKING TIME: Approximately 20

minutes

APPLY FLOORCOVERING: Typically 4 hours

(3 hours for ceramic

tiles)

COMPRESSIVE STRENGTH: C16 after 28 days

APPLICATION THICKNESS: Featheredge to

10mm unfilled.

From 10mm to 30mm filled with 3mm granite

chippings

COVERAGE 5-6m² @ 3mm per

20kg bag + 5L liquid



F599 Heavy Duty Spray Adhesive

Spray adhesive

This market-leading Floorwise heavy duty spray adhesive can be used to fix a wide variety of floor coverings onto most sub floor types. This is thanks to F599 offering a higher percentage of solids than many other spray adhesives giving it a competitive advantage.

COVERAGE:

Approx. 3m² per can onto a single non-porous surface

- Higher solids providing you more adhesive per can
- Higher coat weight giving you more surface adhesive
- · Excellent bond strength
- · Super quick drying

Not suitable for highly plasticised Vinyls or PVC







Adhesive and Screeds

Product type	Product range	Product code	Coverage m ²	Pack size
pplication				
evelling and moothing	Pro-Screed Gold 2 Part rapid setting latex polymer levelling & smoothing compound	F5GOLD	5–6m² @ 3mm per 20kg bag	20kg bag
pro Gold	Pro-Screed Gold Latex Liquid	F5GOLDLL	+ 5l liquid	5l tub
	Pro-Screed Feather Edge ultra fine, rapid setting levelling & patch repair compound	F5FEA	$45 m^2 \ @ \ 1 mm \ per$ 10kg bag mixed with 5l water	10kg bag
looring adhesives	All Purpose Low VOC Flooring Adhesive	F556	Approx. 50-60m²	15kg tub
carpet trackrise	All Purpose Water Based Flooring Adhesive	F555	Approx. 45–55m²	15kg tub
	Low VOC Acrylic Carpet Tile Tackifier	F523	140–160m²	15kg tub
PATPONE TOOPING TO TOO TOO TOO TOO TOO TOO TOO TOO TOO	Low VOC Acrylic Carpet Tile Tackliner	F323	Approx. 230–250m²	25kg container
711	MS (Modified Silicone) Polymer Wood	F542	16-24m²	16kg bucket
	Flooring Adhesive	FU4Z	Approx. 10 Linear metres of 8mm bead	600ml sausage
Cartridge adhesives and ealants	Silicone Joint Sealant	F500	Approx. 11 Linear metres of a 6mm bead	310 ml cartridge
	Fast Set Floor-Fix PU Adhesive	F579	Approx. 40 Linear metres of a 3mm bead	310 ml cartridge
a second	Floor Fix Mastic Adhesive	F577	Approx. 11 Linear metres of a 6mm bead	310 ml cartridge
	Flexy Fix MS Polymer Adhesive	FLE290	15 Linear metres of a 5mm bead	290 ml cartridge

For prices contact your nearest distributor - see back cover







Adhesive and Screeds

Product type	Product range	Product code	Coverage m ²	Pack size
Application				
Spray adhesives	Heavy Duty Spray Adhesive	F599	Approx. 3m ² per can onto a single non-porous surface	500ml can
fr gold a con	DCM Free Heavy Duty Spray Adhesive	F597	Approx. 3m ² per can onto a single non-porous surface	500ml can
99	Contact Spray Adhesive	F592	Approx. 3m ² per can onto a single non-porous surface	500ml can
	Solvent Cleaner	F590	-	500ml can
F597	Vinyl Spray Adhesive	F595	Approx. 3m ² per can onto a single non-porous surface	500ml can
	Heavy Duty Spray Adhesive	F596	Approx. 3m ² per can onto a single non-porous surface	500ml can
	Spray Adhesive	F598	Approx. 3m ² per can onto a single non-porous surface	500ml can
Cannister spray adhesives	Contact Spray Adhesive	F592C	Approx. 100-150m ² on a single sided application per 19.5L canister, dependent upon the porosity of the subfloor.	17kg
	Super Contact Spray Adhesive	F593C	Approx. 100-150m ² on a single sided application per 19.5L canister, dependent upon the porosity of the subfloor.	17kg
8	Carpet Tackifier Spray Adhesive	F594C	Approx. 300-500m ² on a single sided application per 19.5L canister, dependent upon the weight of application and porosity of the subfloor.	13kg
Cannister spray	Standard Gun for spray canisters	F7252	-	Spray gun head
	Premium Gun for spray canisters	F7251	-	Spray gun head
FOLIA	Standard Gun & Wand for spray canisters	F7253	-	Spray gun head and wand
1. D	12ft Hose for spray cannisters	F7254/12	-	1 hose
	18ft Hose for spray cannisters	F7254/18	-	1 hose

For prices contact your nearest distributor - see back cover

30 ADHESIVES & SCREEDS

For prices contact your nearest distributor – see back cover

ADHESIVES & SCREEDS 31



Gripper

Diamond Gripper 33

Premium Gripper 33

Floorwise supplies a range gripper options to suit almost any installation.

Diamond Gripper

Our Diamond Gripper range is both thicker at 6.3mm and wider at 25mm than most other grippers but it also has up to 20% more pins and nails than found on an entry level standard gripper. The preset fixing nails are designed for use with concrete, timber or mixed flooring substrates making it easier to install. Similarly the pins are zinc coated for added durability and have a choice of medium or long pins to suit differing carpet types providing greater long- term stability for the carpet thereby extending

We recommend using Diamond Gripper for commercial power stretching installations.

Premium Gripper

The Floorwise Premium Gripper range is again thicker at 6.0mm and wider at 22mm with more pins and nails than you would find in a standard budget gripper. The pre-set fixing nails designed for use with concrete, timber or mixed flooring substrates make it easier to install whilst the increased pin count and option for short, medium greater long-term stability for the carpet.





Gripper

Produ	et	Specif	ication
Code	Product name	Pins/ nails	Nail length (mm)
TIMBE	R FLOORS		
F160	Diamond Gripper Pre-nailed, Medium Pin	78/12	25
F150	Premium Gripper, Pre-nailed, Medium Pin	69/10	17.5
CONCF	ETE FLOORS		
F161	Diamond Gripper Pre-nailed, Medium Pin	78/12	25
F151	Premium Gripper, Pre-nailed, Medium Pin	69/10	17.5
DUAL P	URPOSE (TIMBER/CONCRETE)		
F167	Diamond Gripper, Pre-nailed, Medium Pin	78/12	25
F162	Premium Gripper, Pre-nailed, Medium Pin	69/10	17.5
STICK	DOWN		
F152	Stick Down Gripper, Medium Pin	-	-



For prices contact your nearest distributor - see back cover

32 GRIPPER floorwise.co.uk/brochures **GRIPPER 33**



Profiles

Max Reflections 35 Providing that finishing touch for all types of floor coverings. Max 36 Floorwise profiles are made to the highest 38 Classic standards. Crafted from premium quality metals, 40 Zenith our profiles are easy to handle and deliver longer Flexible PVC 42

> Wrapped in protective film to keep damage and unsightly scrathes at bay, Floorwise profiles are

Reflections


metallic fixtures and fittings using Max Reflections.

Flexible Give your room the ultimate makeover and co-ordinate with

A range of quality PVC profiles in a variety of colours that can be laid straight or easily curved on site.

A precision blend of performance and value, the Classic Profile Range includes some of the best selling profiles for carpet and vinyl floorcoverings.

A precision blend of performance and value, the Classic Profile Range includes some of the best selling profiles for carpet and vinyl floorcoverings.





Reflections

Give your room the ultimate makeover with Max Reflections from Floorwise. Coordinate with other metallic fixtures and fittings.

Packing - Box: 0.9m lengths x 15 = 13.5m Tube: 2.7m lengths x 5 = 13.5m

Chrome 2.7 5 217.9C	Product	Dimensions	Finish	Length (m)	Tube qty	Ref.
Single Edge (Carpet Edging Strip) Strip		4		0.9	15	217.3C
Carpet Edging Ship		12mm	Chrome	2.7	5	217.9C
2.7 5 217.98	(Carpet Edging	39mm	Brushed Steel	0.9	15	217.3BSN
Chrome 2.7 5 235.9C	Strip)		Nickel	2.7	5	217.9S
Dual edge (carpet to carpet) Common Carpet to carpet) Chrome Carpet to carpet) Chrome Carpet to carpet to carpet to carpet to carpet to carpet to wood/ laminate/ceramics) Chrome Chrome Carpet to wood/ laminate/ceramics) Chrome Chrome Chrome Chrome Chrome Carpet to wood/ laminate/ceramics) Chrome		6	01	0.9	15	235.3C
Carpet to wood? 248			Chrome	2.7	5	235.9C
Nickel 2.7 5 235.9BSN	(carpet to	60mm	Brushed Steel	0.9	15	235.3BSN
Chrome 2.7 5 248.9C	Carpet)		Nickel	2.7	5	235.9BSN
Z Edge - adjustable up to 9mm (carpet to wood/ larminate/ceranics)	248	1		0.9	15	248.3C
## Brushed Steel 0.9 15 248.3BSN	Z Edge -	30mm	Chrome	2.7	5	248.9C
251 2-in-1Stick 2-in-1St	9mm ·	9mm	Brushed Steel	0.9	15	248.3BSN
251 2-in-1Stick Down Ramp Edge/Cover Strip 0-6mm 2.7 5 251.9C Brushed Steel 0.9 15 251.3BSN 251.9BSN 252 Stick Down Cover Strip 38mm (universal) 253 2-in-1Stick Down Ramp Edge/Cover Edge/Cover Strip 0.9 15 252.3C Chrome 2.7 5 252.9C Chrome 2.7 5 252.9SN O-12mm 40mm Brushed Steel 0.9 15 253.3C Chrome 2.7 5 253.9C Down Ramp Edge/Cover Ed		Sumi	Nickel	2.7	5	248.9S
2-in-1Stick Down Ramp Edge/Cover Strip 0-6mm 252 Stick Down Cover Strip 38mm (universal) Brushed Steel Nickel 2.7 5 251.9BSN Chrome 2.7 5 252.3C Chrome 2.7 5 252.3SN Chrome 2.7 5 252.3SN Chrome 2.7 5 252.9SN Chrome 2.7 5 252.9SN Chrome 2.7 5 252.9SN Prushed Steel Nickel 2.7 5 252.9BSN Chrome 2.7 5 253.3C Chrome 2.7 5 253.3C Chrome 2.7 5 253.3C Chrome 2.7 5 253.3SN Prushed Steel Nickel 2.7 5 253.3SN Chrome 2.7 5 253.3SN Chrome 2.7 5 253.3SN Prushed Steel 0.9 15 253.3SN	251	4		0.9	15	251.3C
Strip 0-6mm	2-in-1Stick		Chrome	2.7	5	251.9C
252 Stick Down Cover Strip 38mm (universal) Chrome 2.7 5 252.3C Chrome 2.7 5 252.9C Chrome 2.7 5 252.9SN Prushed Steel 0.9 15 252.3BSN Chrome 2.7 5 252.9BSN Chrome 2.7 5 252.9BSN Chrome 2.7 5 253.3C Chrome 2.7 5 253.3C Chrome 2.7 5 253.9C Down Ramp Edge/Cover Edge/Cov		0-6mm 30mm	Brushed Steel	0.9	15	251.3BSN
Chrome 2.7 5 252.9C	Strip 0-6mm		Nickel	2.7	5	251.9BSN
Stick Down Cover Strip 38mm 2.7 5 252.9C	252	4	01	0.9	15	252.3C
38mm (universal) Brushed Steel 0.9 15 252.3BSN (universal) 253 2-in-1Stick Down Ramp Edge/Cover Steel 0.9 15 253.3BSN (Down Ramp Edge/Cover Steel 0.12mm) Brushed Steel 0.9 15 253.3C (Chrome 2.7 5 253.9C (Down Ramp Edge/Cover Steel 0.12mm) Brushed Steel 0.9 15 253.3BSN (Down Ramp Edge/Cover Steel 0.12mm)	Stick Down		Chrome	2.7	5	252.9C
253 2-in-1Stick Down Ramp Edge/Cover Strip 0.12mm 257 Chrome 2.7 5 252.9BSN Chrome 2.7 5 253.3C 2-in-1Stick Down Ramp Edge/Cover Strip 0.12mm Almm Brushed Steel 0.9 15 253.3BSN		38mm	Brushed Steel	0.9	15	252.3BSN
2.53 2-in-1Stick Down Ramp Edge/Cover Strip 0.12mm 40mm Chrome 2.7 5 253.9C Brushed Steel 0.9 15 253.3BSN	(universal)		Nickel	2.7	5	252.9BSN
2-in-1Stick Down Ramp Edge/Cover Strip 0.12mm 0-12mm 40mm Brushed Steel 0.9 15 253.9C 0-12mm All Steel 0.9 15 253.3BSN	253	A		0.9	15	253.3C
Edge/Cover Brushed Steel 0.9 15 253.3BSN	2-in-1Stick		Chrome	2.7	5	253.9C
Strip 0.10mm		0-12mm 40mm	Brushed Steel	0.9	15	253.3BSN
			Nickel	2.7	5	253.9BSN







Premium heavy-duty metals mark out the **Max range** to bring complete peace of mind in domestic and commercial applications. Where strength and rigidity are key, make sure it's the Max – for profiles that will stand the test of time!

Packing - - Tube: $15 \times 2.7 \text{m}$ lengths = 40.5 m Tube: $9 \times 2.7 \text{m}$ lengths = 24.3 m

Product	Dimension	s Finish	Length (m)	Tube qty	Ref.
214 Single Edge	8.5mm	Polished Aluminium	2.7	15	214.9A
Raised Base - Super Max Duty	4mm]40mm	Simbrass	2.7	15	214.9S
223		Polished Aluminium	2.7	9	223.9A
Dual edge - Super Max Duty	7.5mm 62mm	Simbrass	2.7	9	223.9S
224 Dual edge	28mm 7.	Polished Aluminium	2.7	9	224.9A
Raised Base - Super Max Duty	62rrsm	Simbrass	2.7	9	224.9\$
236 Extra Wide		Polished Aluminium	2.7	15	236.9A
Cover Strip (universal	61mm	Simbrass	2.7	15	236.9S



Order your Floorwise Profiles brochure today. Contact us on

0345 899 1000

For prices contact your nearest distributor – see back cover











Floorwise provide a wide range of high-quality display stands, product samples and other support materials for all of our products.

These have all been professionally designed and produced to help the flooring professional demonstrate our products to their customers.

Please contact us on 0345 899 1000 to request any of our promotional display items and to discuss how we can help you upsell across the entire Floorwise range.





The **Classic Range** is precision-engineered to exacting standards. With more metal for your money, Floorwise premium quality profiles are durable, easier to handle, and finished to perfection.

Product	Dimensions	Finish	Length (m)	Tube qty	Ref.
	1	Polished	0.9	45	211.3A
211	9.5mm T	aluminium	2.7	15	211.9A
Single Edge	37mm		0.9	45	211.3S
		Simbrass	2.7	15	211.9\$
213 Single Edge Unpunched	9.5m m 37mm	Polished aluminium	2.7	15	213.9A
		Polished	0.9	45	220.3A
220	20mm	aluminium	2.7	15	220.9A
Dual edge	8mm 50mm	Oissbarra	0.9	45	220.3S
1		Simbrass	2.7	15	220.9S
		Polished	0.9	45	230.3A
230		aluminium	2.7	15	230.9A
Carpet cover strip 37mm	37mm	Simbrass	0.9	45	230.3\$
		Jiiibiass	2.7	15	230.9\$
231 Cover Strip 25mm		Polished aluminium	2.7	15	231.9\$
	1	Polished	0.9	45	232.3A
232		aluminium	2.7	15	232.9A
Cover Strip 37mm	37mm	Simbrass	0.9	45	232.3S
		Simplass	2.7	15	232.9S
		Polished	0.9	45	233.3A
233	4mm	aluminium	2.7	15	233.9A
Lino Edge small 4mm	28mm 2	Simbrass	2.7	15	233.9S

For prices contact your nearest distributor – see back cover

Packing - Box: $45 \times 0.9 \text{m}$ lengths = 40.5 mTube: $15 \times 2.7 \text{m}$ lengths = 40.5 m

Other lengths may be available upon request

Product	Dimensions	Finish	Length (m)	Tube qty	Ref.
		Polished	0.9	45	234.3A
234	6mm	aluminium	2.7	15	234.9A
Lino Edge medium 6mm	31mm \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Simbrass	2.7	15	234.9\$
240	77000	Polished aluminium	2.7	15	240.9A
Square Edge Raised Base	4mm] 32mm	Simbrass	2.7	15	240.9S
241 Angle/Mat Edge 23mm	21.8mm 23mm	Polished aluminium	2.7	15	241.9A
242 Stair/Matwell Edge 42mm	12.7mm 42mm	Polished aluminium	2.7	15	242.9A
243 Carpet Tile Edge Unpunched	7mm 2.5mm 28mm	Polished aluminium	2.7	15	243.9A
245		Polished	0.9	45	245.3A
Z Edge, adjustable	28mm	Aluminium	2.7	15	245.9A
height up to	9mm	Simbrass	0.9	45	245.3S
9mm		000	2.7	15	245.9S
246 Z Edge, adjustable	40mm	Polished Aluminium	2.7	15	246.9A
height up to 14mm	54mm	Simbrass	2.7	15	246.9S

Tenith Proferance

The **Zenith Range** makes it easy to find the ideal match to Wood, Laminate & LVT flooring, delivering a neat, attractive and robust finish. The Stick Down range is a must for the professional fitter, cutting down installation time by up to 80% against slower drill and fix methods.

Product	Dimensions	Finish	Length (m)	Tube qty	Ref.
	4	Brushed Steel Nickel	2.7	5	251.9BSNA
251		Chrome	2.7	5	251.9CA
Stick Down Ramp Edge/	0-6mm 30mm	Oak	2.7	5	251.9OAA
Cover Strip 0-6mm		Dark Walnut	2.7	5	251.9DKWA
		Grey Oak	2.7	5	251.9GOA
		Brushed Steel Nickel	2.7	5	253.9BSNA
253 Stick Down		Chrome	2.7	5	253.9CA
Ramp Edge/	0-12mm 40mm	Oak	2.7	5	253.9OAA
Cover Strip 0-12mm		Dark Walnut	2.7	5	253.9DKWA
•		Grey Oak	2.7	5	253.9GOA
277 Square Edge	16.5mm	Matt Silver	2.7	10	277.9MS
8mm	32mm	Matt Gold	2.7	10	277.9MG
	4	Matt Silver	2.7	10	287.9MSA
287 Stick Down		Matt Gold	2.7	10	287.9MGA
Ramp Edge/	9mm	Oak	2.7	10	287.9OAA
Cover Strip 0-6mm	1 25mm U	Dark Walnut	2.7	10	287.9DKWA
		Grey Oak	2.7	10	287.9GOA
288	15mm	Matt Silver	2.7	10	288.9MSA
Stick Down Edge 15mm	15mm 1 25mm	Matt Gold	2.7	10	288.9MGA

Packing - Tube: 5 x 2.7m lengths = 13.5m (251 & 253) Tube: $10 \times 2.7 \text{m} \text{ lengths} = 27 \text{m} (277 \& 287)$

Tube: $15 \times 2.7 \text{m} \text{ lengths} = 40.5 \text{m} (245 \text{ only})$

Other lengths may be available upon request

Product	Dimensions	Finish	Length (m)	Tube qty	Ref.
289 Stick Down		Matt Silver	2.7	10	277.9MSA
Sloping Edge 8mm	8mm]	Matt Gold	2.7	10	277.9MGA
290 Stick Down		Matt Silver	2.7	10	290.9MSA
Sloping Edge 14mm	14mm 43mm	Matt Gold	2.7	10	290.9MGA
		Matt Silver	2.7	10	291.9MSA
291		Matt Gold	2.7	10	291.9MGA
Stick Down Cover Strip	38mm	Oak	2.7	10	291.9OAA
38mm		Dark Walnut	2.7	10	291.9DKWA
		Grey Oak	2.7	10	291.9GOA
292 Stick Down	22	M 11 C'1	2.7	10	292.9MSA
Sloping Edge 22mm	53.5mm	Matt Silver	2.7	10	292.9MGA

For prices contact your nearest distributor - see back cover

For prices contact your nearest distributor – see back cover

40 PROFILES floorwise.co.uk/brochures PROFILES 41

Flexible PVC floor profiles

Curvable PVC Floor trims

A range of **Flexible PVC** transition profiles in a variety of colours that can be laid straight or easily curved on site.

Product	Dimensions	Finish	Length (m)	Tube qty	Ref.
8775 Multiple height combination flat transition	36	see page 52-53	2.75	10	8775
8780 Multiple height combination ramped transition	42	see page 52-53	2.75	10	8780
8785 Multiple height combination ramped transition	45	see page 52-53	2.75	10	8785
8790 Multiple height combination ramped transition	60	see page 52-53	2.75	5	8790
87P1 Base channel 8.5mm	[8.5	-	2.75	10	87P1
87P2 Base channel 16mm	16	-	2.75	10	87P2
87P3 Base channel 6mm	<u> </u>	-	2.75	10	87P1
87P4 Base channel 12mm	12	-	2.75	10	87P1
87A2		Punched	2.75	10	87A2P
Base channel 12mm	9	Unpunched	2.75	10	87A2U
87A1 Base channel 6mm	6	-	2.75	10	87A1

The product code for ordering Curvable PVC Floor Trims is made up of the relevant part number above (Ref.) and the 3-letter colour code shown on page on page 53. The code for an 8780 Curvable PVC Floor Trim in Royal Blue would therefore be 8780ROY.

7€ floorw

Floor level combinations

Combinations of tops and bases and the heights of floorcoverings they connect

8775	8780	8785	8790
18 ————————————————————————————————————	17–18———10–11 13–15———11–13	17–18———7–8 15–17———8–10	15–19—n/a 3–7
87P2			
14 ————————————————————————————————————	14–15———5–7 10–12———6–8	14–15——2–3 12–14——4–6	14-16-0-3
87P4			U
10 — 7-8 8-9 — 8-9	10 ——— 0–3 7–9 ——— 2–4	12 0 0 10-120-2	n/a n/a
87P1	THE STATE OF THE S	TUN.	
8-9 ————————————————————————————————————	8-90-1 6-82-4	10-110-1	n/a n/a
87P3			
8 5-7 5-7	8 5–6 1–2	8 <u>n/a</u> 0	n/a n/a
87A1		TI .	
9-107-9 8-108-10	8-90-1 7-92-4	10–11——0–1	n/a n/a
87A2		THE STATE OF THE S	



For prices contact your nearest distributor - see back cover

42 PROFILES floorwise.co.uk/brochures PROFILES 43



Stair Nosings, Skirtings and Trims

Aluminium Stair Nosings 45 **Q-Range** 46 **Aluminium and PVC Stair Edge Trims** and Angles 48 **Floormitre Cap and Cove Systems** 48 Flexible Bevels, Ramps, Profiles and Joints 49 **PVC Skirtings** 50 **Nosings, Trims and Skirtings** colour chart 52

Stairs are an inherently dangerous part of any building presenting both a trip and a fall hazard, so don't skimp when it comes to safety.

Floorwise offer a range of nosings with flat, raked or bullnose profiles to suit almost any stair application and floorcoving along with a selection of edge trims and angles to help you get the perfect finishing detail.

We also offer a wide range of colour options as well as a selection of standard tread or supergrip inserts to suit your specific application.






Aluminium Stair Nosings

Standard gauge

Standard gauge aluminium stair nosings best suited for floorcoverings with a thickness of 2mm-3.5mm.








SF11 -single channel flat


SF31- single channel bullnose


SF51 - single channel raked












SF141 - single channel flat ramp back


SF151 - single channel raked - ramp


SF161 - single channel bullnose - ramp back

Heavy duty gauge

Heavy duty gauge aluminium stair nosings best suited for floorcoverings with a thickness of 4mm-7mm.







HF11 - single channel flat

HF31 - single channel bullnose

HF51 - single channel raked

- Stock lengths: 2.44m, 2.75m and 3.2m
- Pre-packed (secret fixing): 20 lengths x 1.22m
- · Also available cut to size, drilled & undrilled





Super Chrome Finish

Colours


The product code for ordering Stair Nosings is made up of the relevant part number above and the 3-letter colour code shown on page on page 52. The code for a SF11 Single Channel nosing in Poppy would therefore be SF11POP.

Drawings not to scale.

Q-Range


Slenderline gauge

Stair nosings best suited for floorcoverings with a thickness of 0 mm-3.5 mm



Heavy duty gauge

Stair nosings best suited for floorcoverings with a thickness of 4-7mm




Building regulations best practice

All Q-Range stair nosings (except bullnose) offer a Building Regulations best practice solution in PVCu or when specified with polar grey tread material.

NOTE: There should be 30 points of difference in the LRV value between the floor covering and the stair nosing.

- Stock lengths: 2.44m, 2.75m and 3.2m
- Pre-packed (secret fixing): 20 lengths x 1.22m
- · Also available cut to size, drilled & undrilled





Colours

The product code for ordering Stair Nosings is made up of the relevant part number above and the 3-letter colour code shown on page on page 52. The code for a QR-HF1 Single Channel nosing with Yellow Tread would therefore be QR-HF1YEL.

Drawings not to scale.

j≡ floorwise **46 STAIR NOSINGS** STAIR NOSINGS 47 floorwise.co.uk/brochures



Aluminium and PVC Stair Edge Trims and Angles

Pre-formed universal angles for finishing step sides on open string staircases. Special shapes, bespoke to project are available on request and subject to lead times.


A610

Aluminium 83° pre-formed Angles

A620

Aluminium 90° pre-formed Angles

Aluminium stock length 2.75m



- Universal tabs are included with package to cover all heights.
- Pre-formed: 83° or 90°, 360mm x 360mm, singles or boxed in 20s.
- Stock lengths: 2.75m complete with joints and tabs to make up on site.

P610


PVCu 83° pre-formed Angles

P620

PVCu 90° pre-formed Angles

P600

PVCu stock length 2.75m











) ≡ floor

Floormitre Cap and Cove System

Internal and external floormitres

Designed to make the fitting of vinyl around corners easier, quicker and smoother.



CCFM1 Internal Floormitre

50 per box



CCFM2 External Floormitre


50 per box

¶≣ floor

Flexible Bevels, Ramps, Profiles and Joints


Bevel strips and ramp edges

Flexible finishing strips and ramps for floorcovering edges. Can be easily curved on site.




8751 25 x 2mm

5m coils 5 per box



8752 25 x 2.5 mm

5 m coils 5 per box



8753 25 x 3.2 mm

25 m coils 5 per box





2m lengths 50 per box



Flexible flooring profiles

Finishing profiles for joints between floor coverings. Can be easily curved on site.



8772 Ramp Edge 40 x 5 mm

2m lenaths 25 per box



Expansion joints

Finishing profiles for joints between floor coverings. Can be easily curved on site.

QCJ50 50 x 2.5 mm 15 m coils 2.5 3 per box 50

QCJ75 75 x 2.5 mm

15m coils 2 per box



The product code for ordering Flexible Bevels, Ramps, Profiles and Joints is made up of the relevant part number above and the 3-letter colour code shown on page on page 52. The code for a 8770 Dual Edge profile in Charcoal would therefore be 8770CHA.

Drawings not to scale.






PVC Skirtings

Sit-on skirting

Easy to fit standard skirting finish for vinyl floors.


8710 100 mm 2 m lengths / 30 per box **8710C** 100 mm 32 m coil (curve on site) **8711**75 mm
2 m lengths / 40 per box

8712 150 mm 2 m lengths / 20 per box





75



Set-in skirting

Skirtings with welded foot for seamless and hygienic finish with vinyl floors in hospitals, schools and wet areas (e.g. bathrooms).


2m lengths

14 per box

8720	8723
100 x 2.0 mm	150 x 2.0 mm
8721	8724
100 x 2.5mm	150 x 2.5 mm

8722 100 x 3 2 mm


100 x 3.2 mm 2m lengths



Flat skirting

Protective edge to wall and door bases. Use with vinyl floors or carpet tiles.

8761	8762	8763
100mm	150 mm	300 mm
32m coil	32m coil	16m coil



Capping strips

8740

40 x 4mm

Finishing caps for floor coverings when material is formed up the wall base.

8741

45 x 4 mm

2m lengths	2 m lengths	2r
40 per box	40 per box	50
	40	45

Cove formers

8731

20 x 20 mm

20 per box

(Black only)

Preformed cove support for vinyl or linoleum flooring to curve up the wall base from the floor edge.

32 x 32 mm

8732


35 x 35 mm

8730

2m lengths 50 per box (Black only)	2m lengths 40 per box (Black only)	2m lengths 40 per box (Black only)
20	0 32	2 35
8733 42 x 42 mm		
2m lengths		45

8742 40 x 6 mm2m lengths 50 per box





8744

38 x 4 mm

Combined cove former and capping strip

This combined, preformed cove former and capping strip is a valuable time saver on site.



Colours

The product code for ordering Capping Strips is made up of the relevant part number above and the 3-letter colour code shown on page on page 53. The code for a 8740 Capping Strip in Dark Brown would therefore be 8740DBR.

Drawings not to scale.

Stair Nosings, Skirting and Trims Colour Chart

✓* Minimum quantities may apply

Code	Colour	LRV		Stair Nosings		Stair Edge Trims	PVCu	Coves and	Bevels and Ramps	Curvable PVC
			Standard	Super Grip	PVCu	and Angles	Skirting	Capping Strips		Floor Trims
CAR	Carbon	5	Tread	(Not in Q-Range) ✓	Channel					
CLA	Claret	6	√	<u> </u>	✓	✓				√ *
BLK	Black	6	 ✓		<u> </u>	<u> </u>	✓	√	✓	√ *
BR	Dark Brown	9	<u> </u>			·	<u>·</u> ✓	<u> </u>	√ *	· · · · · · · · · · · · · · · · · · ·
UB	Ruby	9		√			·	•	·	
US	Rustic	10	✓	<u> </u>	✓	✓				√ *
EA	Peat	10	√		√	✓				√ *
RA	Granite	11	✓		√	✓	✓			√ *
LU	Dark Blue	11	✓		√	✓				√ *
EG	Regency	11	✓		✓	✓	✓			√ *
PR	Spruce	11	✓		✓	✓				√ *
ОР	Рорру	13	✓							√ *
НА	Charcoal	15					✓	✓	√ *	
-LI	Flint	15	✓		✓	✓				√ *
OY	Royal Blue	16	✓							√ *
AW	Fawn	21	✓							√ *
AQA	Aqua	22		✓						
BOU	Boulder	25					✓			
_IG	Light Grey	26	✓		✓	✓				√ *
PLA	Platinum	27		✓						
CLG	Cloud Grey	26					✓	✓	✓	
IAD	Jade	30	✓							√ *
AR	Caramel	31					✓	✓		
AN	Tangerine	33	✓							√ *
SAN	Sand	41		✓						
HOR	Hornet	47		✓						
PLR	Polar Grey	49	✓		✓	✓	✓			√ *
vo	lvory	51	✓		✓	✓	✓			√ *
KY	Sky	52	✓							√ *
-IM	Lime	53	✓							√ *
UN	Sun	56	✓							√*
/EL	Yellow	67	✓		✓	✓				√ *
РНО	Photoluminescent	69	✓							
WHT	White	81	✓		✓	✓	✓	✓	√ *	√ *

52 STAIR NOSINGS floorwise.co.uk/brochures STAIR NOSINGS 53



Cutting 55 **Carpet Fitting** 56 **Measuring and Scribing** 59 **Surface Preparation** 60 **Wood and Laminate Floor Laying** 62 **PVC/Lino Laying** 63 64 **Workwear and Protection Storage and Handling** 64

Choosing the right tools for the job has never been easier!

Floorwise sells a selection of the world's best for carpet installers. Our range has been caref selected to provide the ultimate in functionality practicality and long-lasting product quality. This means that we are confident that tools from the Floorwise range will provide the maximum assistance for professional floor fitters seeking a quality installation.



Tools and Sundries

Product Type			Quantity	Colour
	FWG Ref	Description		
Cutting tools	F7510		1	Chrome
Knives	F7510B	-	1	Blue
	F7510BK	-	1	Black
	F7510W	Dolphin Knife with Holster	1	White
F7510G F7510Y	-	1	Green	
	F7510Y	-	1	Yellow
	F7510R	-	1	Red
	F7515	Professional Linoleum Tucking Knife	1	
	F7514	Dolphin Knife 2000 with Holster	1	Chrome
Cutting tools	F7544	Hooked + Pointed Blades	20 x 5 = 100	-
Blades	F7546	Heavy Duty Blades	20 x 5 = 100	-
	F7547	Medium Duty Blades	20 x 5 = 100	-
	F7551B	Blades	12 Pack	-
	F7548	Hooked Blades	20 x 5 = 100	-
	F7549	Concave Blades	20 x 5 = 100	-
	F7545	Super Hooked Blades	20 x 5 = 100	-
	F7550B	Razor Style Blades	20 x 5 = 100	-
	F7554B	Slotted Blades	20 x 5 = 100	-
	F7214B	Scraper Blades	10 x 10 = 100	-
	F7216B	Scraper Blades	10 x 10 = 100	-
Cutting tools	F7520	12" Professional Knife Edge Shears	1	-
Shears	F7521	10" Professional Knife Edge Shears	1	-
	F7524	7" Stainless Steel Napping Shears 2 finger	1	-
	F7524-7	Professional Napping Shears 3 Finger	1	-
	F7525	Super Gripper Shears	1	-
	F7525A	Spare Anvil	1	-
	F7525B	Spare Blade	1	-
	F7527	Mitre Shears	1	-
	F7527A	Spare Anvil	1	-
	F7527B	Spare Blade	1	-
	F7528	Aviation Snips	1	_





Product Type			Quantity	Colour
	FWG Ref	Description		
Cutting tools	F7550	Combi Carpet Trimmer	1	-
Shears continued	F7550B	Razor Style Blades	100	-
Cutting tools Shears continued Knee kickers	F7551	Crain Deluxe Carpet Trimmer	1	-
	F7551B	Crain Carpet Trimmer Blades	12	-
	F7552	Araseur Carpet & Vinyl Trimmer	1	-
	F7552B	Araseur Hooked Blades	20 x 5 = 100	-
	F7553	High Tech Cutter	1	-
	F7553B	High Tech Cutter - Hooked Blades	20 x 5 = 100	-
	F7560	Hacksaw	1	-
	F7560B	Hacksaw Blades	10	-
Knee kickers	F7006	Roberts GT Knee Kicker	1	
	F7002	Crain Deluxe Knee Kicker	1	
	F7010	Crain Swivel Lock Power Stretcher	1	
	F7010E	Crain Spare Tube	1	
Heat seaming irons	F7014	Roberts Deluxe Heatbond Carpet Seaming Iron	1	-
4	F7015	F7015 110V Crain Grooved Deluxe Heat 1 Seaming Iron 110V	1	-
	F7015	F7015 110V Crain Grooved Deluxe Heat 1 Seaming Iron 220V	1	-
	F7015C	Carrying Case	1	-
	F7020	Straight Axle Seam Roller	1	-
	F7020F	Flexible Axle Seam Roller	1	-
	F7021W	7.5kg Seam Weight	1	-
	F7021	Carpet Seam Clamp	1	-

For prices contact your nearest distributor - see back cover

Tools and Sundries

Product Type			Quantity	Colour
	FWG Ref	Description		
Tack hammers	F7022	Magnetic Tack Hammer	1	-
	F7023	Super Tack Hammer	1	-
	F7024	Claw Hammer	1	-
	F7025A	Magnetic Driving Bar	1	-
	F7027	Stair Tool 3.5"	1	-
	F7028	Tack & Moulding Lifter	1	-
	F7029	Carpet Awl	1	-
	F7031	Bent Stair Tool 3.5"	1	-
	F7034	Speedcatt Tucking Tool	1	-
	F7035	Row Separator	1	-
Nails	F7700	19mm Concrete Nails	500g	-
	F7701	25mm Concrete Nails	500g	-
	F7712	15mm Concrete Nails	500g	-
ring shark	F7713	32mm Concrete Nails	500g	-
	F7730	15mm Concrete Nails	1kg	-
	F7731	19mm Concrete Nails	1kg	-
	F7732	25mm Concrete Nails	1kg	-
	F7733	32mm Concrete Nails	1kg	-
	F7710	20mm Ring Shank Nails	500g	-
Nails The Blank The	F7711	25mm Ring Shank Nails	500g	-
	F7714	30mm Ring Shank Nails	500g	-
	F7720	20mm Ring Shank Nails	1kg	-
	F7721	25mm Ring Shank Nails	1kg	-
All S	F7722	30mm Ring Shank Nails	1kg	-
	F7770	25mm Zinc Plated Slotted Screws	500g	-
	F7770S	25mm Simbrass Slotted Screws	500g	-
	F7764	20mm Gimp Pins	500g	-
	F7045Y	5/5.5mm Yellow Rawl Plugs	1000	Yellow
	F7045R	5.5/6mm Red Rawl Plugs	1000	Red
	F7763	25mm Blued Tacks	500g	-
	F7763A	25mm Blued Tacks	1kg	-
	F7768	16mm Cork Pins	500g	-



Product Type			Quantity	Colour
	FWG Ref	Description		
Masonry drill bits	F7040	4mm Masonry Drill Bit	10	
	F7041	5mm Masonry Drill Bit	10	
	F7042	5.5mm Masonry Drill Bit	10	
	F7043	5mm SDS Masonry Drill Bit	10	
	F7044	5.5mm SDS Masonry Drill Bit	10	
Stapling guns and staples	F7049	Tacwise 191ELS Combination Stapler & Nailer Tool	1	-
	F7050	Maestri ME4000 Stapling Machine	1	-
OFFEE STATES	F7050/16	16mm Bronzed Staples for Hardboard	10,000	-
	F7050/20	20mm Bronzed Staples for Plywood	10,000	-
	F7051	Maestri ME606 Electronic Staple & Brad Machine	1	-
	F7051/18	18mm Silver Staples for ME606	4,800	-
	F7051/22	22mm Silver Staples for ME606	4,800	-
	F7051/TG15	15mm Brad/Pins	8,000	-
	F7051/TG19	19mm Brad/Pins	7,000	-
1/2	F7051/TG25	25mm Brad/Pins	5,000	-
9	F7061	Hammer Tacker	1	-
	F7064	Staple Remover	1	-
	F7063	Rapid Staple Gun	1	-
	F7063/10	10mm Rapid Staples	5,000	-
	F7063/14	14mm Rapid Staples	5,000	-
	F7065	Tacwise A54 Heavy Duty Hammer Tacker	1	-
	F7061/8	8mm Staples	5,000	-
	F7061/9	9mm Staples	5,000	-
	F7061/10	10mm Staples	5,000	_

For prices contact your nearest distributor - see back cover



Tools and Sundries

Product Type			Quantity	Colour
	FWG Ref	Description		
Hot melt guns	F7894	Heavy Duty Industrial Hot Melt Adhesive Gun	1	-
fee	F7891/12	Industrial Hot Melt Adhesive Gun	1	-
	F7882	Carrying Case for All Guns	1	-
	F7893/12	Cordless Industrial Hot Melt Adhesive Gun	1	-
	F7890	Badaptor	1	-
	F7990H	Tackfix 180 Glue Sticks for Hardwood	20	-
	F7990C	Tackfix 48 Glue Sticks for Concrete	20	-
	F560	43mm Hot Melt Glue Slugs	85	-
	F565	12mm Hot Melt Glue Sticks	160	-
Measuring and scribing	F7300	Chalk Line Reel	1	-
equipment	F7301	Chalk Line Refill	8oz	White
	F7302	Chalk Line Refill	8oz	Blue
	F7303	Chalk Line Refill	8oz	Red
	F7335	5m Measuring Tape	1	-
	F7338	8m Measuring Tape	1	-
	F7340	Metre Measuring Stick	1	-
	F7350	Leica Laser Measure with Bluetooth	1	-
	F7120	Bar Scriber	1	-
	F7120P	Spare Pins	1	-
	F7121	Recess Scriber	1	-
	F7121P	Spare Pins	1	-



Order your Floorwise Tools brochure today. Contact us on **0345 899 1000**

TOOLS & SUNDRIES 59



Product Type			Quantity	Colour
	FWG Ref	Description		
Straight edges and	F7304	2m Flexible Straight Edge	1	-
scribes	F7305	4m Flexible Straight Edge	1	-
Bi-	F7306	Adjustable Straight Edge	1	-
	F7307	2m Non-Slip Flexible Straight Edge	1	-
	F7308	4m Non-Slip Flexible Straight Edge	1	-
	F7535	Invisiseamer	1	-
lė.	F7535D	6' Extension	1	-
	F7535E	12' Extension	1	-
	F7122	Parajito Combination Scriber & Cutter	1	-
	F7122P	Spare Pins	25	-
11	F7122B	Spare Blades	5	-
	F7123	Parajito Scriber	1	-
	F7123P	Spare Pins	25	-
	F7124	8" Dividers	1	-
	F7516	Crain Nickel Plated Mitre Box	1	-
Strippers and Scrapers	F7210/110	Power Stripper 110V	1	-
	F7210/240	Power Stripper 240v	1	-
	F7210B	60mm Spare Blade	1	-
	F7210LB	130mm Spare Blade	1	-
,	F7210TW	Transport Wheels	1	-
	F7210T	T-Handle	1	-
	F7210C	Carrying Case	1	-
	F7214/18	18" Deluxe Hand Scraper	1	-
	F7214/12	12" Deluxe Hand Scraper	1	-
	F7214B	Scraper Blades	10x10=100	-
	F7219	Carpet Claw	1	-
	F7216/18	Crain Steel Handled Scraper	1	-
	F7216B	Scraper Blades	10x10=100	-
	F7213	Hit Scraper	1	-
	F7213B	Reversible Spare Blade	1	-
	F7218	Parajito Long-Handled Scraper	1	-
	F7218B	Spare Blade	1	-



Tools and Sundries

Product Type			Quantity	Colour
	FWG Ref	Description		
Mixers and rollers	F7222/110	Vitrex 850w Mixing Drill – 110V	1	-
	F7222/230	Vitrex 850w Mixing Drill – 230V	1	-
	F7225	Mixing Drill Whisk	1	-
	F7230/50	50cm Spiked Aeration Roller	1	-
	F7230/25	25cm Spiked Aeration Roller	1	-
	F7223/14	14I Gorilla Mixing Tub	1	-
	F7223/26	26I Gorilla Mixing Tub	1	-
	F7223/42	42I Gorilla Mixing Tub	1	-
60 ₁₁	F7226	Mixing Drill Whisk	1	-
	F7225P	Parajito Drill Whisk	1	-
	F7230T	Telescopic Extension Pole	1	-
	F7238	12" Double Arm Frame for Primer Roller	1	-
	F7238R	12" Primer Roller	1	-
	F7221	Professional Stirring Station	1	-
Trowels	F7227	Flemish Pointed Screeding Trowel 45x11cm	1	-
	F7228	Ragni Screeding Trowel 36x12cm	1	-
	F7229	Ragni Screeding Trowel 28x12cm	1	-
	F7257	3-piece Japanese Trowel Set	1	-
	F7240	Adhesive Trowel Pack 1mm x 4mm	1	-
	F7240B	Spare Blade 1mm x 4mm	1	-
	F7241	Adhesive Trowel Pack 1.5 x 5mm	1	-
	F7241B	Spare Blade 1.5 x 5mm	1	-
	F7242	Adhesive Trowel Pack 2mm x 6mm	1	-
	F7242B	Spare Blade 2mm x 6mm	1	-
	F7245-A1	18cm Adhesive Spreader – A1	1	-
	F7245-A2	18cm Adhesive Spreader – A2	1	-
	F7245-B1	18cm Adhesive Spreader – B1	1	-
	F7246-A1	25cm Adhesive Spreader – A1	1	-
	F7246-A2	25cm Adhesive Spreader – A2	1	-
	F7246-B2	25cm Adhesive Spreader – B1	1	-
	F7239	Shoe In Spiked Soles 3 size options M (7-9) L(9-11), XL (11-12)	1	-
	F7237	Spiked Shoes	1	-



Product Type			Quantity	Colour
	FWG Ref	Description		
Applicators	F7030	Cartridge Applicator Skeleton Gun	1	-
8	F7032	Combination Sausage Gun	1	-
	F7234	Carborundum Grinding Stone	1	-
	F7250	Disposable Adhesive Syringes & Needles	1	-
	F7236	24" Screed Leveller	1	-
	F7251	Premium Gun for Spray Canisters	1	-
Wood and laminate floor laying equipment	F7461	Straticut Laminate Guillotine	1	-
	F7415	Ratchet Straps & Clamps	1	-
	F7404	Power Shunter	1	-
	F7405	Professional Tapping Block – Flat	1	-
Ass.	F7406	55cm Professional Pulling/Impact Iron	1	-
	F7407	Rubber Mallet	1	-
	F7410	Crain Undercut Saw	1	-
	F7433/110	Professional Door Trimmer 110v	1	-
	F7433B	Spare TCT Blade	1	-
	F7052	Maestri Veneer Pinner	6100 (box)	-
	F7052/TG15	15mm brads/pins	6100 (box)	-
	F7052/TG20	20mm brads/pins	6100 (box)	-
	F7052/TG25	25mm brads/pins	6100 (box)	-
	F7052/TG30	30mm brads/pins	6100 (box)	-

For prices contact your nearest distributor - see back cover

1≣ floorwise

Tools and Sundries

Product Type			Quantity	Colour
	FWG Ref	Description		
PVC/Lino laying	F7100/120	Grooving Machine – 120v	1	-
equipment	F7100/230	Grooving Machine – 230v	1	-
	F7100B	130mm Grooving Blade	1	-
	F7100DB	130mm Diamond Grooving Blade	1	-
	F7153	Lino & PVC Strip Cutter	1	-
	F7154	LVT Hole Cutter	1	-
	F7155	Leister 'Groovy' Groover Tool	1	-
	F7101	LVT Design Cutter	1	-
	F7101B	Spare Blade	1	-
Since Property and the same of	F7105/110	Leister Triac ST Hot Air Welder – 110v	1	-
	F7105/220	Leister Triac ST Hot Air Welder – 220v	1	-
0	F7106/110	Leister Triac ST Hot Air Welding Kit – 110v	1	-
	F7106/220	Leister Triac ST Hot Air Welding Kit – 220v	1	-
	F7108	Leister Standard Nozzle	1	-
	F7108S	Leister Speedweld Nozzle	1	-
	F7113	Router Handle	1	-
	F7113B	Router Blades	8	-
	F7150	PVC Edge Trimmer	6	-
	F7150B	Spare Blades	6	-
	F7152	Linocutter/Scriber	1	-
	F7136	Crain Steel Hand Roller	1	-
	F7157	Pressing Hammer	1	-
	F7141/28	28kg Lino Roller	1	-
	F7141/50	50kg Lino Roller	1	-
	F7151	Mozart Trimmer	1	-
	F7151B	Spare Blades	5	-
	F7151P	Leather Pouch	1	-
	F7110	P Type Grooving Tool	1	-
	F7110B	U Shape Grooving Blades	10	-
	F7130	Spatula Trimming Knife	1	-
	F7130G	Spatula Guide	1	-
	F7130P	Leather Pouch	1	-



62 TOOLS & SUNDRIES floorwise.co.uk/brochures

Product Type			Quantity	Colour
	FWG Ref	Description		
Workwear and	F7800	Snickers Floorlaying Master Trousers	1	-
protection	F7810	Flexiwork Floorlayers Trousers	1	-
	F7856	Snickers Hoodie	1	-
	F7860	Snickers 37.5 Short Sleeve Polo Shirt	1	-
Snicker	F7865	Toe Guard Jumper Boots	1	-
	F7870	Snickers Beaded Knee Pads	1 (Pair)	-
	F7817	Fento 200 Pro Knee Protectors	1 (Pair)	-
	F7818	Medical Knee Pads	1 (Pair)	-
TO PENT	F7805	Snickers D30 Craftsman Knee Pads	1 (Pair)	-
	F7815	Leather Knee Pads	1 (Pair)	-
	F7819	Super Soft Knee Pads	1 (Pair)	-
	F7819L	Super Soft Knee Pads - Leather	1 (Pair)	-
Storage and handling	F7960	24" Floorlayers Toolbag	1	-
	F7955	30" Rope Handled Canvas Tool Bag	1	-
11	F7950	24" Rolling Tool Box	1	-
100	F7900	Carpet Trolley with Pneumatic Tyres	1	-
-	F7905	Transport & Unroll Barrow	1	-
	F7956	Strong Wheeled Canvas Trolley	1	-

Entrance Matting

Entrance Matting ranges

66

Floorwise offer a carefully curated range of entrance matting options to suit most applications.

Our range has been defined around a selection of colourways which offer exceptional aesthetics durability and value for almost any commercial matting application.

Please contact us for further details and product samples



Entrance Matting

Endurance




SPECIFICATION

Gel latex backed contract grade ribbed matting.

Pile weight 1600g/m² Total weight 2620kg/m² Pile composition 100% PP 20% PES Total height 11.0mm **Backing** Gel

COLOURS





Light Brown Light Blue




SPECIFICATION

Gel latex backed contract grade zigzag matting.

Pile weight 1150g/m² Total weight 2130kg/m² Pile composition 100% PP

Total height 9.8mm Backing Gel

COLOURS



Anthracite Grev









Manhattan

Francis and Cambridge and the

SPECIFICATION ...

Secondary entrance matting.

Pile weight 830a/m²

Total height 7.5mm Backing PVC

COLOURS

Total weight 3 450kg/m²

Pile composition 100% Nylon

7.5mm

¶≣ floor

Entrance Matting

Viking



SPECIFICATION

Contract grade matting.

Pile weight 650g/m² Total weight 2740kg/m² Pile composition 100% Nylon PA6

7.8mm Total height Backing PVC

COLOURS







Oak Brown Steel Grey



Call **0345 899 1000** for a copy of our Entrance Matting sample folder.

floorwise.co.uk/brochures

For prices contact your nearest distributor - see back cover



Tapes

Heatseam tape 68

Adhesive tape 69

Floorwise supply the flooring professional with a versatile range of tapes which won't let you down on the job.

From the plasticiser migration resistant doublesided vinyl tape to the low temperature heat seaming carpet tape, Floorwise will meet all your requirements.





Tapes

Product Type	Code	Product	Roll Size	Quantity
			W (mm) x L (m)	Per box
Heatseam	F301	Supreme	90mm x 25m	8
Таре	F331	Supreme Low Temperature	90mm x 25m	8
	F351	Standard	90mm x 25m	8
	F391	Supreme Gold Heatseam Tape	90mm x 20m	10
Adhesive	F365	Ultra heavy duty double sided cloth tape	50mm x 50m	24
Таре	F366	PMR heavy duty cloth tape	50mm x 50m	24
	F367	Supreme heavy duty cloth tape	50mm x 50m	24
	F368	Waterproof singe sided cloth tape	50mm x 50m	24
	F377	Supertac contact tape	25mm x 50m	24
	F377	Supertac contact tape	50mm x 50m	12
	F377	Supertac contact tape	85mm x 50m	8



Artificial grass

Artificial grass 70

Accessories 71

The all new Floorwise artifical grass range is softer and denser offering not just better value, but a better product

The Floorwise range is the Gold Star standard when it comes to comfort, luxury and durability. Transform your garden, patio, terrace or holiday home with our stunning range. Enjoy the benefits of a beautiful looking lawn with no more weeding and mowing, and welcome in your Floorwise Artificial Grass, perfect for all environments, providing a luxurious feel underfoot.

Our 6 different types present the opportunity to select from 20mm, 25mm, 30mm, 35mm, 38mm and 40mm thickness.

Each offering a natural look to bring your outdoor area to life, all year round. Ordering could not be simpler - place your order with your retail unit and have it delivered to your door. Products come in either 2m or 4m widths, and can be cut to the full or half lineal metre.



Key Benefits

- Easy to install
- Low maintenance
- No watering
- · Child friendly
- Pet friendly
- No more mud
- · High UV stabilisation
- Cut to size/easily shaped
- 10-Year Guarantee

Range of uses

- · Gardens front and back
- Patios
- Swimming pool surrounding areas
- Play areas
- Pet soiling areas
- Holiday homes

) **j=** floorwise

Artificial Grass and Accessories

Product		Suitability	Pile	Colour	Length	Guarantee
			Height	Tone		Years
Peaks		Gardens Balconies Play areas	20mm	3	2m	7
reaks	The same of the sa	Indoor areas Pet soiling areas	2011111		4m	7
Exmoor		Gardens Balconies Pool surrounds	25mm	3	2m	10
	The same of the sa	Play areas Pet soiling areas	2311111	3	4m	10
Brecon		Gardens Patios	30mm	3	2m	10
		Balconies BBQ areas	3011111		4m	10
Northumberland	No. of Control of Cont	Gardens Balconies Patios Landscaping	35mm	3	2m	10
Normaniperiana			3311111		4m	10
Snowdonia		Gardens Balconies 38mm Patios Landscaping	20,000		2m	10
	THE PARTY OF THE P		Somm	3	4m	10
Trossachs	1900	Gardens Balconies			2m	10
	The state of the s	Patios Landscaping	40mm	3	4m	10


Product	Ref	Certified	Quantity
U Shape Pins	00	BS 4790 BS 7044 EN 117	10
Aqua bond adhesive	00	BS 4790 BS 7044 EN 117	10
Weed Barrier	00	BS 4790 BS 7044 EN 117	10
Joining tape	00	BS 4790 BS 7044 EN 117	10







wiseup to floorwise quality&value guaranteed



national distributor network

- **Neil Smith Ltd** Glasgow, G4 0TX Tel: 0141 552 1141 sales@neilsmithltd.co.uk
- Belfast, BT15 3GU Tel: 028 9075 3202 Fax: 028 9075 3901 salesbelfast@pfl.ie
- 3 Provincial Floorcoverings Ltd Dublin, D12 E540 Tel: 00353 (0)1 626 3913 Fax: 00353 (0)1 460 4669 salesdublin@pfl.ie
- 4 Provincial Floorcoverings Ltd Limerick, V94 W863 Tel: 00353 (0)61 227 100 Fax: 00353 (0)61 227 000 sales@pfl.ie
- Lakes Flooring Supplies Kendal. LA9 5RR Tel: 01539 726500 sales@pucflooring.co.uk
- **Preston Underlay Centre Ltd** Preston, PR1 1PN Tel: 01772 556345 sales@pucflooring.co.uk
- **Birch Distribution** Leeds, LS10 1AG Tel: 0113 244 4363 Fax: 0113 244 8665 I.sales@birchdistribution.co.uk
- 8 Birch Distribution Hull, HU7 0XD Tel: 01482 826654 Fax: 01482 878693 h.sales@birchdistribution.co.uk

- **Hathaway Flooring** Manchester, M17 1EB Tel: 0161 872 8003 sales@hathawayflooring.com
- 2 Provincial Floorcoverings Ltd 10 Cornerstone Flooring Doncaster, DN3 3FE Tel: 01302 835117 Fax: 01302 302542 cornerstonefloor@ btconnect.com
 - 11 Birch Distribution Sheffield, S9 5PH Tel: 0114 243 1230 Fax: 0114 243 5118 s.sales@birchdistribution.co.uk
 - 12 Woodall Brothers Ltd Shrewsbury, SY1 3JE Tel: 01743 441584 Fax: 01743 441629 sales@woodallbrothers.co.uk
 - 13 Floorwise D & J Ltd Southam, CV47 0DR Tel: 01926 814922 Fax: 01926 817899 sales@fwdj.co.uk
 - 14 Floorwise Wales Merthyr Tydfil, CF48 4TQ Tel: 01685 374243 sales@floorwise-wales.com
 - 15 BL Flooring Supplies Ltd Gloucester, GL2 5HY Tel: 01452 223355 Fax: 01452 371284 info@blflooring.co.uk
 - 16 BL Flooring Supplies Ltd Bristol, BS2 9SH Tel: 0117 955 5454 Fax: 0117 955 2626 info@blflooring.co.uk

- 17 Salesmark West Ltd Amesbury, SP4 7LN Tel: 01980 880933 mail@salesmark-west.co.uk
- 18 Salesmark Lancing, BN15 8UN Tel: 01903 750522 Fax: 01903 851111 sales@salesmark-floorwise.co.uk
- 19 Fitwell Flooring Ltd Newton Abbot, TQ12 6TR Tel: 01626 835935
- 20 Fitwell Flooring Ltd Redruth, TR15 1SS Tel: 01209 214344 sales@fitwell.co.uk
- 21 STS Flooring Distributors Ltd Cambridge, CB23 8UD Tel: 0345 899 1000 sales@stsflooring.co.uk

headoffice:

Floorwise Group Ltd. Floorwise House, 22 High Street Kegworth, Derby, DE74 2DA, UK Tel: +44 (0)1509 673974 Fax: +44 (0)1509 674841

- 22 STS Flooring Distributors Ltd Hemel Hempstead, HP2 7ER Tel: 0345 899 1000 sales@stsflooring.co.uk
- 23 STS Flooring Distributors Ltd Basildon, Essex, SS14 3DW Tel: 0345 899 1000 sales@stsflooring.co.uk
- 24 STS Flooring Distributors Ltd Croydon, Surrey, CR0 4WP Tel: 0345 899 1000 sales@stsflooring.co.uk
- 25 STS Flooring Distributors Ltd Orpington, Kent, BR5 3SS Tel: 0345 899 1000 sales@stsflooring.co.uk

