

Safety Data Sheet

According to Regulation (EU) 2015/830

Revision Date: 20<sup>th</sup> January 2021

Revision: 3 Code: FWG/F5FEA

## **Pro-Screed Feather Edge**

SECTION 1: Identification of the	e substance/mixture and of the company/undertaking	
1.1 Product Identifier: F5FEA	,	
Floorwise Pro Screed Gold		
Product Name:	F5FEA Floorwise Pro Screed Gold	
1.2 Relevant identified uses of		
the substance or mixture and		
uses advised against		
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment,	
Trouder osc	services, craftsmen); [PC0] Other;	
1.3 Details of the supplier of th		
Company:	Floorwise Group Ltd	
Address:	Floorwise House	
7.444.633.	22 High Street	
	Kegworth	
	Derbyshire	
	DE74 2DA	
Website:	www.floorwise.co.uk	
Tel:	+44 01509 674973	
Email:	wiseup@floorwise.co.uk	
1.4. Emergency telephone num		
Emergency telephone number	+44 01509 674973	
Company	Floorwise Group Ltd	
Company	8.30am – 5.30pm Mon - Fri	
	· · · · · · · · · · · · · · · · · · ·	
SECTION 2: Hazards identificati		
2.1. Classification of the substa		
2.1.2. Classification - EC	Skin Sens. 1: H317; Eye Irrit. 2: H319;	
1272/2008		
2.2. Label elements		
Hazard pictograms	<u>•</u>	
Signal Word	Warning	
Hazard Statement	Skin Sens. 1: H317 - May cause an allergic skin reaction.	
	Eye Irrit. 2: H319 - Causes serious eye irritation	
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.	
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement: Disposal	P501 - Dispose of contents/container to a licensed waste disposal site in accordance with the local Waste Disposal Authority	
2.3. Other hazards		
Other Hazards	No data is available on this product.	

SECTION 3: Composition/i	nformation on ingre	dients				
3.2. Mixtures		4.55				
FC 4272 /2000						
EC 1272/2008 Chemical Name	Index No.	Cas No.	E.C. No.	REACH Registration	Conc. (%w/w)	Classification
Calcium Carbonate	1317-65-3	215-279-6		Number	(7000/00)	
High Alumina Cement	65997-16-2	266-045-5				
Lightweight Inerts	65997-17-3	266-046-0				
Calcium Sulphate	26499-65-0	231-900-3				
Portland Cement	65997-15-1	266-043-4				Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;
SECTION 4: First aid measu	ures					
4.1. Description of first aid m	easures					
Inhalation	Move the ex	posed person t	to fresh air.			
Eye contact	Rinse immed	liately with ple	nty of water fo	or 15 minutes holding t	he eyelids o	pen.
Skin contact	Wash off im	mediately with	plenty of soar	o and water. Remove co	ontaminated	l clothing.
Ingestion				glasses of water.		
4.2. Most important symptor						
Inhalation	Inhalation m	ay cause cough	ning, tightness	of the chest and irritat	ion of the re	espiratory system.
Eye contact	Irritating to	eyes.				
Skin contact	May cause in	ritation to skin				
Ingestion		May cause irritation to skin.  May cause irritation to mucous membranes.				
4.3. Indication of any immedi						
Inhalation		· · · · · · · · · · · · · · · · · · ·		ptoms persist.		
Eye contact	Seek medica		,	'		
Skin contact	Seek medica	l attention if in	ritation or sym	nptoms persist.		
Ingestion		Seek medical attention if irritation or symptoms persist.  Seek medical attention if irritation or symptoms persist.				
SECTION 5: Firefighting me	00011800					
5.1. Extinguishing media	casures					
	Use extingui	shing media ap	propriate to t	he surrounding fire cor	ditions.	
5.2. Special hazards arising fr			p p	<u> </u>		
5-12- opecia: ::a1a-a- a- a- i-i-i-g ::	Do not allow runoff water to enter sewers or drains.					
5.3. Advice for firefighters	Do not anov	ranon water t	o circa server	3 01 0101113.		
3.0.7.6.7.6.7.6.	Wear suitab	e respiratory e	quipment who	en necessary.		
SECTION 6: Accidental rele		'	, ,	,		
		nd emergency r	procedures			
o. z. i ci sonai precautions, pri	6.1. Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation of the working area. Wear eye/face protection. Wear suitable gloves					Wear suitable gloves
		Wear suitable protective clothing.				
6.2. Environmental precautio		- p. 5 6 6 6 1 7 6 6 1				
precautio		product to en	ter drains. Pre	vent further spillage if	safe.	
6.3. Methods and material fo						
5.5. Methods and material fo			ble. labelled c	ontainers for disposal.	Clean snillag	ge area thoroughly
	with plenty		, .abelieu c	and the disposal.	aii spiiiag	, o o. o. o. o. o. o. o. o. o. o
6.4. Reference to other section						
		2, 8, 13 for furt	her information	on.		
CECTION 7: Have diversing a second	·					
SECTION 7: Handling and s						
7.1. Precautions for safe hand					C.1 1.1	
		Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.				
7.2. Conditions for safe stora			COLIS WITCH HE	mamig, carrying and un	opensing.	
Conditions for sale stora			ntilated area	(een containers tightly	closed Stor	e in correctly labelled
		Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Store at temperatures above 5 °C.				
7.3. Specific end use(s)	Containers. 3	nore at temper	atures above	J C.		
7.3. Specific effu use(s)	Son soction :	L.2 for further i	nformation			
	see section .	L.Z IOI IUITIELI	momation.			

Safety Data Sheet - Pro-Screed Feather Edge

SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
	Exposure controls.			
8.1.1. Exposure Limit Values				
Calcium Carbonate	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total inhalable dust:	10	WEL 15 min limit mg/m3 total inhalable dust:	-
	WEL 8-hr limit mg/m3 total	4	WEL 15 min limit mg/m3 total	_
	respirable dust:	,	respirable dust:	
	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	10	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	-WEL 8-hr limit mg/m3 total respirable dust:	4	WEL 15 min limit mg/m3 total respirable dust:	-
	WEL 8-hr limit ppm:	_	WEL 8-hr limit mg/m3:	_
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	10	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	4	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	
Calaires Culabada	WELO balled and		WELO by live?	
Calcium Sulphate	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
	WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total.	10	WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total	_
	inhalable dust:	10	inhalable dust:	-
	WEL 8-hr limit mg/m3 total.	4	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	
High Alumina Cement	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	10
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total.	4	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	
Lightweight Inerts	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
	WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total.	10	WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total	-
	inhalable dust:	10	inhalable dust:	
	WEL 8-hr limit mg/m3 total.	3	WEL 15 min limit mg/m3 total	_
	respirable dust:		respirable dust:	
Portland Cement	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	10	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	4	WEL 15 min limit mg/m3 total	-
8.2. Exposure controls	respirable dust:		respirable dust:	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation	of the worki	ing area	
8.2.2. Individual protection measures	Wear protective clothing.	of the work	ing area.	
Eye / face protection	In case of splashing, wear:. A	nnroyed saf	ety goggles	
Skin protection - Handprotection	Chemical resistant gloves (P\		CC1 POPPICS.	
SECTION 9: Physical and chemical prope	erties			
9.1. Information on basic physical and chem	ical properties			
Appearance	Powder			
Colour	Grey			
Odour	Odourless			
Fat Solubility	Not applicable			
Partition coefficient	Not applicable			
Autoignition temperature	Not applicable			
Viscosity Explosive properties	Not applicable  Not applicable			
Oxidising properties	Not applicable  Not applicable			
Odour threshold	Not applicable  Not applicable			
pH	Not applicable > 10			
Melting point	Not applicable			
Freezing Point	Not applicable  Not applicable			
Initial boiling point	Not applicable  Not applicable			
Flash point	Not applicable			
Flammability (solid, gas)	Not applicable			
Vapour pressure	Not applicable			
Evaporation rate	Not applicable			

SECTION 9: Physical and chemical prope	rties		
9.1. Information on basic physical and chemi	cal properties		
Vapour density	Not applicable.		
Relative density	No data available		
Solubility	Slightly miscible in water		
9.2. Other information			
Conductivity	No data available		
Surface tension	Not applicable		
Gas group	Not applicable		
Benzene Content	No data available		
Lead content	No data available		
VOC (Volatile organic compounds)	No data available		
	The data distinction		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
,	No data available		
10.2. Chemical stability			
10.2. Chemical stability	Stable under normal conditions.		
40.2 5 11111 (1 1 1	Stable under Hormal Conditions.		
10.3. Possibility of hazardous reactions	T		
	No data available		
10.4. Conditions to avoid			
	Moisture. Do not use below 5°C		
10.5. Incompatible materials			
,	Acids.		
10.6. Hazardous decomposition products	1		
10.0. Hazardous decomposition products	No data is available on this product		
	No data is available on this product		
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
	No data is available as this was doos		
Acute toxicity	No data is available on this product		
Skin corrosion/irritation	Irritating to skin		
Serious eye damage/irritation	Irritating to eyes		
Respiratory or skin sensitisation	No sensitizaton effects reported.		
Germ cell mutagenicity	No data is available on this product		
Carcinogenicity	No data is available on this product		
Reproductive toxicity	No data is available on this product  No data is available on this product		
STOT-single exposure	No data is available on this product  No data available		
STOT-repeated exposure	No data available		
Aspiration hazard	No data is available on this product		
Repeated or prolonged exposure	Avoid prolonged or repeated exposure		
11.1.4. Toxicological Information			
	No data available		
SECTION 12: Ecological information			
12.1. Toxicity			
	No data available		
12.2. Persistence and degradability			
	No data is available on this product		
12.3. Bioaccumulative potential			
22.5. Biodocamaidave potential	No data is available on this product		
Partition coefficient	ino data is available off tills product		
Partition coefficient	Due Council Feether (Mark 1997)	Calatina Carle anaka Na data a 28 C	
	Pro-Screed Feather Not applicable.	Calcium Carbonate No data available	
	High Alumina Cement Not applicable	Lightweight Inerts Not applicable.	
	Calcium Sulphate No data available	Portland Cement Not applicable.	
12.4. Mobility in soil			
	No data is available on this product		
12.5. Results of PBT and vPvB assessment			
vi vi vi vi vi vi discisiment	No data is available on this product		
12 C Other advance officer	ino data is available off this product		
12.6. Other adverse effects			
	No data is available on this product		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods	10		
	Contact a licensed waste disposal company		
General information			
	Discussion of the community of the city of	onal regulations	
	Dispose of in compliance with all local and nati	onal regulations	
Disposal of packaging	Dispose of in compliance with all local and nati	onal regulations	

	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
SECTION 14: Transport information	
14.1. UN number	
	The product is not classified as dangerous for carriage
14.2. UN proper shipping name	•
	The product is not classified as dangerous for carriage
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage
14.4. Packing group	
	The product is not classified as dangerous for carriage
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage
14.7. Transport in bulk according to Ann	nex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage
SECTION 15: Regulatory information	
	regulations/legislation specific for the substance or mixture
13.1. Salety, health and environmental	COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH). REGULATION (EC) No 1907/2006 OF THE
	EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the
	Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency, amending Directive 1999/45/EC and repealing Council
	Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council
	Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and
	2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending
	Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the
	Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency, amending Directive 1999/45/EC and repealing Council
	Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council
	Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and
	2000/21/EC.
15.2. Chemical safety assessment	
	A chemical safety assesment according to (EC) regulation 1907/2006 (REACH) has not been
	carried out for this product.
SECTION 16: Other information	
Other information Text of Hazard Statements in	Skin Irrit. 2: H315 - Causes skin irritation.
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Dam. 1: H318 - Causes serious eye damage.
Eurthor information	STOT SE 3: H335 - May cause respiratory irritation.
Further information	The information condited to this Cofety Data Cl. 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe
	use, storage and handling of the product. This information is correct to the best of our
	knowledge and belief at the date of publication however no guarantee is made to its
	accuracy. This information relates only to the specific material designated and may not be
	valid for such material used in combination with any other materials or in any other process.