

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name Pro-Screed MVS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Construction Materials, Restrctied to professional users

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company address Floorwise Group Ltd, 22 High Street, Kegworth, Derby DE74 2DA

E-mail wiseup@floorwise.co.uk

Revision 25/03/2026

SDS Version 1.0

Date of previous version Not applicable.

1.4. Emergency telephone number

Floorwise Group Ltd: Dial +44 (0)1509 673974 (Not 24 Hours)

Healthcare professionals:

Dial +44 (0)344 892 0111 to reach The National Poisons Information Service (NPIS) 24 Hour Service

General Public:

England – Dial 111 to reach NHS 111 (24 Hour Service)

Scotland – Dial 111 to reach NHS 24 (24 Hour Service)

Wales – Dial 111 or 0845 4647 to reach NHS Direct (24 Hour Service)

See section 4 “First Aid Measures”

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK Law.

2.2. Label elements

Hazard pictogram(s) Not applicable.

Signal word(s) Not applicable.

Hazard statement(s) Not applicable.

Precautionary statement(s)

General Not applicable.

Prevention Not applicable.

Response Not applicable.

Storage Not applicable.

Disposal Not applicable

Hazardous substances Contains no substances that need to be listed on the label.

Additional labelling

EUH208, Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-1,2H-thiazol-3(2H)-One and 2-Methyl-1,2-thiazol-3(2H)-One. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

Additional warnings This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

Safety Data Sheet

PRO-SCREED MVS

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	identifiers	% w/w	Classification	Note
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 UK-REACH: Index No.:	< 0.05%	Acute Tox. 4, H302 (ATE: 450.00mg/kg) Skin Irrit. 2, H315 Skin Sens. 1A, H317 (SCL : 0.036%) Eye Dam. 1, H318 Acute Tox. 2, H330 (TE: 0.21mg/L) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
2-(2-butoxyethox3(2H)-one	CAS-No.: 112-34-5 EC-No.: 203-961-6 UK-REACH: Index no.:	< 0.05%	Eye Irrit. 2, H319	[1], [3]
Reaction mass of 5-chloro-2-mthyl-1,2thiazol-3(2H)-one and 2-methyl-1,2thiazol-3(2H)-one	CAS-No.: 55965-84-9 EC-No.: 611-341-5 UK-REACH: Index no.:	< 0.0015%	EUH071 Acute Tox. 3, H331 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL : 0.60%) Skin Irrit. 2, H315 (SCL : 0.06%) Skin Sens. 1A, H317 (SCL : 0.0015%) Eye Dam. 1, H318 (SCL: 0.60%) Eye Irrit. 2, H319 (SCL: 0.06%) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information In the case of accident: Contact a doctor or casualty department – take the label or safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation In case of discomfort: bring the person into fresh air.

Skin contact IF ON SKIN: Wash with plenty of water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritaion occurs: Get medical advice/attention.

Eye contact Rinse gently with lukewarm water. Remove any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.

Ingestion Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: Seek medical assistance and bring this safety data sheet.

Burns Not Applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestatio of allergic reaction typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to Medics Bring this safety data sheet or the label from this product.

Safety Data Sheet

PRO-SCREED MVS

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media

Waterjets should **not** be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

No specific requirements.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers etc.
Keep unauthorized persons away from spill.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

No special conditions required.

Recommended storage material

Always store in containers of the same material as the original container.

Storage Conditions

Protect from frost. Store in cool, dry conditions..

Incompatible materials

Strong acids, strong bases, strong oxidizing agents and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

Safety Data Sheet

PRO-SCREED MVS

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

1,2-benzisothiazol-3(2H)-one

Duration	Route of exposure:	DNEL:
Long term – Systemic effects – General population	Dermal	345 µg/kg bw/day
Long term – Systemic effects – Workers	Dermal	966 µg/kg bw/day
Long term – Systemic effects – General population	Inhalation	1.2 mg/m ³
Long term – Systemic effects – Workers	Inhalation	6.81 mg/m ³

PNEC

1,2-benzisothiazol-3(2H)-one

Duration	Duration of exposure:	DNEL:
Freshwater		4.03 µg/L
Freshwater sediment		49.9 µg/kg
Intermittent release (freshwater)		1.1 µg/L
Intermittent release (marine water)		110 ng/L
Marine water		403 ng/L
Marine water sediment		4.99 µg/kg
Sewage treatment plant		1.03 mg/L
Soil		3 mg/kg

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

Wash hands after use.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures such as personal protective equipment

Generally Use only UKCA marked protective equipment.

Respiratory equipment No specific requirements.

Skin protection Wear appropriate protection clothing.

Hand protection Chemical resistant gloves (EN 374).

Eye protection Safety glasses (EN166).



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Purple
Odour / Odour threshold	Characteristic
pH	7-9
Density (g/cm ³)	1.1
Kinematic viscosity	No data available
Dynamic viscosity	>4,000 poise cm ³ /g
Particle characteristics	Does not apply to liquids

Safety Data Sheet

PRO-SCREED MVS

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

Phase changes

Melting point / Freezing point (°C)	No data available
Softening point / range (°C)	Does not apply to liquids
Boiling point (°C)	No data available
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Decomposition temperature (°C)	No data available

Data on fire and explosion hazards

Flash point (°C)	No data available
Flammability (°C)	Not applicable
Auto-ignition temperature (°C)	No data available
Lower and upper explosion limit (% v/v)	No data available

Solubility

Solubility in water	Miscible
n-octanol/water coefficient (LogKow)	Not applicable
Solubility in fat (g/L)	Not applicable

9.2 Other information

Oxidising properties	No data available
Other physical and chemical parameters	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (Ec) 1272/2008 as retained and amended in UK law

Acute toxicity	Based on available data for the mixture, the classification criteria are not met.
Skin corrosion/irritation	Based on available data for the mixture, the classification criteria are not met.
Serious eye damage/irritation	Based on available data for the mixture, the classification criteria are not met.
Respiratory sensitisation	Based on available data for the mixture, the classification criteria are not met.
Skin sensitisation	This product contains substances that may trigger an allergic reaction in already sensitized persons
Germ cell mutagenicity	Based on available data for the mixture, the classification criteria are not met.
Carcinogenicity	Based on available data for the mixture, the classification criteria are not met.
Reproductive toxicity	Based on available data for the mixture, the classification criteria are not met.
STOT-single exposure	Based on available data for the mixture, the classification criteria are not met.
STOT-repeated exposure	Based on available data for the mixture, the classification criteria are not met.
Aspiration hazard	Based on available data for the mixture, the classification criteria are not met.
Symptom related to the physical, chemical and toxicological characteristics	None known.

11.2 Information on other hazards

Endocrine disrupting properties	This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.
Other information	None known.

Safety Data Sheet

PRO-SCREED MVS

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

SECTION 12: Ecological information

12.1. Toxicity

Based on available data for the mixture, the classification criteria are not met.

12.2. Persistence and degradability

Based on available data for the mixture, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data for the mixture, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Based on available data for the mixture, the classification criteria are not met.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC Code

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA

	ADR /AND / RID	IMDG	IATA
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-
Other Information	-	-	-

Additional informtaion

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk accorindg to IMO instruments

Not data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

Demands for specific education

No specfic requirements.

Control of Major Accident Hazards (COMAH) – Categories / dangerous substances

Not applicable

UK-REACH, Annex XVII

2-(2-butoxyethoxy)ethanol is subject to restrictions, UK-REACH annex XVII (entry 55).

Additional information

Not applicable.

Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

Safety Data Sheet

PRO-SCREED MVS

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier.

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.

H302, Harmful if swallowed.

H310, Fatal in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = Effective concentration

ED = Effective dose

EINECS = European Inventory of Existing Commercial chemical Substances

EL = Effective Loading

ErC = Concentration associated with x% growth rate response

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWG = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

HP = Hazardous Property code

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LC = Lethal concentration

LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans

LD = Lethal dose

LOAEC = Lowest Observed Adverse Effect Concentration

LOAEL = Lowest Observed Adverse Effect Level

LOEC = Lowest Observed Effect Concentration

LogKow = logarithm of the octanol/water partition coefficient

LL = Lethal Loading

M = For multiplication factor

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NOAEC = No Observed Adverse Effect Concentration

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOELR = No Observable Effect Loading Rate

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

Safety Data Sheet

PRO-SCREED MVS

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

The safety data sheet is validated by

RB

Other

Information contained within this safety data sheet is based on current legislation and is believed to be accurate and is given in good faith (as of the date compiled). But it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. The information contained within relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Floorwise Group Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Floorwise Group Limited accepts no liability for any loss or damage that may occur from the use of this information, nor do we offer warranty against patent infringement.

Country-language: GB-en